



We Create Chemistry

Building Blocks and
Reagents for our
Customers' Needs

 **BASF**

The Chemical Company

We Create Chemistry

Building Blocks and Reagents for our Customers' Needs

BASF – The Chemical Company

BASF is the world's leading chemical company: The Chemical Company. Its portfolio ranges from chemicals, plastics, performance products and crop protection products to oil and gas. We combine economic success, social responsibility and environmental protection. Through science and innovation we enable our customers in almost all industries to meet the current and future needs of society. Our products and system solutions contribute to conserving resources, ensuring healthy food and nutrition and helping to improve the quality of life. We have summed up this contribution in our corporate purpose: We create chemistry for a sustainable future.

Top Intermediates Supplier

The BASF Group's Intermediates division develops, produces and markets a comprehensive portfolio of more than 600 intermediates around the world. The most important of the division's product groups include amines, diols, polyalcohols, acids and specialties. Among other applications, intermediates are used as starting materials for coatings, plastics, pharmaceuticals, textile fibers, detergents and crop protectants. Innovative intermediates from BASF help to improve the properties of final products and the efficiency of production processes. The ISO 9001:2000-certified Intermediates division operates plants at production sites in Europe, Asia, and the Americas.

Content

Foreword and Guidelines _____	4	5. Amino Alcohols _____	74
Product Catalog _____	6	5.1 Ethanolamines	74
1. Acid Chlorides, Alkyl Chlorides and Chloroformates _____	6	5.2 Isopropanolamines	78
1.1 Acid Chlorides	6	5.3 Alkylamino Alcohols	80
1.2 Aliphatic Chlorides	10	5.4 Other Amino Alcohols	84
1.3 Carbamoyl Chlorides	12	6. Carboxylic Acids and Derivatives _____	88
1.4 Chloroformates	14	6.1 Carboxylic Acids	88
2. Alcohols, Diols and Polyols _____	18	6.2 Derivatives	92
2.1 Mono Alcohols	18	7. Heterocyclic Compounds _____	94
2.2 Diols and Polyols	22	7.1 Carbonates	94
3. Aldehydes, Acetals and Ketones _____	32	7.2 Imidazoles and Pyrazoles	98
3.1 Acetals	32	7.3 Lactones and Lactams	104
3.2 Aldehydes	34	7.4 Morpholines	110
3.3 Ketones	36	7.5 Other Heterocycles	112
4. Amines _____	38	7.6 Oxiranes	114
4.1 Aliphatic Monoamines	38	7.7 Piperazines	116
4.2 Aliphatic Diamines	48	7.8 Piperidines	118
4.3 Aliphatic Oligoamines	54		
4.4 Etheramines	58		
4.5 Polyurethane Catalysts (Lupragens)	62		
4.6 Aromatic Amines and Nitro Compounds	66		
4.7 AMIX	72		

7.9	Pyrrolidines	120
7.10	Tetrahydropyrans	122
8.	Optically Active Compounds	124
8.1	Chiral Alcohols and Epoxides	124
8.2	Chiral Amines	126
8.3	Chiral Carboxylic Acids and Derivatives	140
9.	Others	142
9.1	Amides	142
9.2	Hydrocarbons	144
9.3	Imines	146
9.4	Ionic Liquids	148
9.5	Nitriles	156
9.6	Phosphorus Compounds	158
9.7	Urea Derivatives	160
9.8	Vinyl Compounds and Ethers	162
9.9	Others	168

Alphabetical Index _____ **170**

CAS Registry No. Index _____ **180**

GHS Assignment Scheme _____ **190**
– How to Get Easily from H to P

Overview GHS Pictogram _____ **198**

Contact, Imprint _____ **199**



Foreword



Dear customers and future customers:

Information about our new, enhanced and proven chemical intermediates is what awaits you in this revised version of our BASF's Intermediates product catalog. This comprehensive reference work is meant to provide an overview of our globally unique portfolio of intermediates. A review of the book has become necessary because we are constantly developing new products and improving existing intermediates. This is our contribution to enhancing our customers' products and making them more successful.

In the Intermediates Division, we keep an ever tighter focus on the market, and we target our activities clearly at change and innovation. We believe that developing innovations close to our customers is a vital key to shaping the future. Our approach is based on the unparalleled expertise available in our BASF 'Verbund'. As our customers' long-term, reliable partner, we seek to use this expertise to contribute purposefully and sustainably to their success.

Our updated, extended range of products offers you many options for selecting the optimal solution to your production requirements. If you cannot find a product in this catalog that is just right for your needs, then please contact us. We will be happy to develop customized solutions that meet your specific requirements. You may telephone us or contact us via e-mail (info.intermediates@basf.com). More details on our portfolio offers the website

www.basf.com/productfinder. Here you can take a closer look at BASF, the world's leading chemical company.

We do not think we have succeeded unless our intermediates help you to succeed in your market: so don't wait too long before you talk to us. We look forward to hearing from you.

Your BASF Intermediates team

Handling notes

Our new product catalog contains new, proven and enhanced products. Mainly, pure compounds are listed. If you need specific mixtures, just ask, we'll be glad to help you.

There are several different ways for you to find the right product for your processes:

- Search for the English name (indexed in alphabetical order), or
- search for the CAS number (indexed by ascending numbers).

The table section also includes some common trivial names and IUPAC-compliant product names.

Additionally, you will find some information on registration in the following chemical inventories: REACH (EU), TSCA (USA), IECSC (China) and ENCS/IS (Japan).

Please note

The data contained in this publication are based on our current knowledge and provide no legally binding warranties or guarantees. In view of the many factors that may affect the application of our products, these data do not relieve processors from carrying out their own investigations and tests. Any proprietary third-party rights and all existing laws and regulations must be respected. The safety data are provided for

information only and are no substitute for the legally binding material safety data sheet. The current material safety data sheet for each product is available on request from your supplier, or directly from BASF (info.intermediates@basf.com).

We offer no guarantees for the information and data contained herein.

Guidelines

Customer orientation

Intensive research and a close focus on our customers' needs are the foundations of our business. In order to constantly expand our portfolio we fulfill our customers' specific needs. We place great emphasis on flexibility and believe that anything is possible – from the smallest amounts on a laboratory scale, all the way up to use in bulk production lines. Thanks to our broad and innovative range of intermediates, we have competencies in all markets. This fact allows us to make our products globally available. For us, fast and reliable delivery is of paramount importance.

Superior quality

The BASF Intermediates Division is ISO 9001 certified. We offer a particularly broad range of chemical products. In addition, we develop innovative technologies and procedures that will allow you to integrate our products seamlessly and cost effectively into your existing processes. Throughout, we support our customers with an extensive range of services. Our combination of three building blocks for your success – excellent products, technologies, and services – demonstrates our commitment to a unique level of quality that has made BASF the world's leading chemical company.








Reliable partnership

















Our broad range of products, multitude of comprehensive solutions, and high innovation potential all translate into the added value that BASF brings to you. As our customer, you will benefit from the greatest assurance of success for your processes. And, looking forward, you can also rely on us to stand by your side with a comprehensive offering in the future.



1 Acid Chlorides, Alkyl Chlorides and Chloroformates

1.1 Acid Chlorides

No.	Product [CAS Registry No.]	Formula
1.1.1	2-Ethylhexanoyl chloride [760-67-8]	
1.1.2	3-Chloropropionyl chloride [625-36-5]	
1.1.3	4-Chlorobutyryl chloride [4635-59-0]	
1.1.4	5-Chlorovaleryl chloride [1575-61-7]	
1.1.5	Heptane acid chloride [2528-61-2]	
1.1.6	Isobutyryl chloride [79-30-1]	
1.1.7	Isononanoyl chloride [36727-29-4]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	162.66 g/mol	H290; H302; H314; H317; H330; EUH071 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.953 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	73 – 75 °C (23 hPa)			
m.p.	< -75 °C			
M	126.97 g/mol	H226; H302; H314; H330 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	1.33 g/cm ³ (13 °C)			
% (w/w)	min. 98.0			
b.p.	144 °C			
m.p.	-32 °C			
M	141.00 g/mol	H302; H314; H330 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	1.26 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	120 – 160 °C			
m.p.	-49 °C			
M	155.02 g/mol	H290; H302; H314 Danger	 	REACH; IECSC
d	1.2056 g/cm ³ (20 °C)			
% (w/w)	min. 97.5			
b.p.	80 °C (15 hPa)			
m.p.	-58 °C			
M	148.63 g/mol	H314; H330; H412 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.9615 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	173 °C			
m.p.	< -50 °C			
M	106.55 g/mol	H225; H290; H302; H314; H330 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	92 – 94 °C			
m.p.	< -70 °C			
M	176.69 g/mol	H290; H302; H314; H317; H330; H412; EUH071 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	192 °C			
m.p.	< -50 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content

















b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

1.1 Acid Chlorides

No.	Product [CAS Registry No.]	Formula
1.1.8	Isovaleroyl chloride [108-12-3]	 <chem>CC(C)C(=O)Cl</chem>
1.1.9	Neodecanoyl chloride [40292-82-8]	 <chem>CCCCCCCCC(=O)Cl</chem>
1.1.10	Octanoyl chloride [111-64-8]	 <chem>CCCCCCCC(=O)Cl</chem>
1.1.11	Pivaloyl chloride [3282-30-2]	 <chem>CC(C)(C)C(=O)Cl</chem>
1.1.12	Propionyl chloride [79-03-8]	 <chem>CCC(=O)Cl</chem>
1.1.13	Valeroyl chloride [638-29-9]	 <chem>CCCC(=O)Cl</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	120.58 g/mol	H225; H290; H314; H332; H412 Danger	  	TSCA; IECSC; ENCs/IS
d	0.98 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	114 – 116 °C			
m.p.	< -70 °C			
M	190.71 g/mol	H290; H302; H314; H317; H330; H412; EUH071 Danger	 	REACH; TSCA; IECSC; ENCs/IS
d	0.95 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	100 °C (28 hPa)			
m.p.	< -50 °C			
M	162.66 g/mol	H290; H315; H317; H318; H330; EUH071 Danger	 	REACH; TSCA; IECSC; ENCs/IS
d	0.949 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	196 °C			
m.p.	-63 °C			
M	120.58 g/mol	H225; H290; H302; H314; H330; H412; EUH071 Danger	  	REACH; TSCA; IECSC; ENCs/IS
d	0.98 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	103 – 108 °C			
m.p.	-57 °C			
M	92.52 g/mol	H225; H314; H332; EUH014 Danger	  	REACH; TSCA; IECSC; ENCs/IS
d	1.06 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	77 – 79 °C			
m.p.	-94 °C			
M	120.58 g/mol	H226; H290; H314; H332; H412 Danger	  	REACH; TSCA; IECSC; ENCs/IS
d	0.99 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	125 – 127 °C			
m.p.	< -50 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content













b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

1.2 Aliphatic Chlorides

No.	Product [CAS Registry No.]	Formula
1.2.1	1,6-Dichlorohexane [2163-00-0]	
1.2.2	1-Chloro-3-methoxypropane (standard) [36215-07-3]	
1.2.3	1-Chloro-3-methoxypropane > 99% [36215-07-3]	
1.2.4	1-Chloro-3-methoxypropane Pharma Premium [36215-07-3]	
1.2.5	2-Ethylhexylchloride [123-04-6]	
1.2.6	Ethylene chlorohydrine [107-07-3]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	155.07 g/mol	H412		REACH; TSCA; IECSC; ENCS/IS
d	1.07 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	208 °C			
m.p.	-13 °C			
M	108.57 g/mol	H225; H332 Danger	 	REACH
d	0.9979 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	111 °C			
m.p.	< -70 °C			
M	108.57 g/mol	H225; H332 Danger	 	REACH
d	0.9979 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	111 °C			
m.p.	< -70 °C			
M	108.57 g/mol	H225; H332 Danger	 	REACH
d	0.9979 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	111 °C			
m.p.	< -70 °C			
M	148.68 g/mol	H226; H315; H411 Warning	  	REACH; TSCA; IECSC; ENCS/IS
d	0.882 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	172 °C			
m.p.	< -20 °C			
M	80.51 g/mol	H226; H300; H310; H330; H411 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	1.2 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	128.7 °C			
m.p.	-63 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content



b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

1.3 Carbamoyl Chlorides

No.	Product [CAS Registry No.]	Formula
1.3.1	Diethylcarbamoyl chloride [88-10-8]	 <p>The chemical structure shows a central nitrogen atom (N) bonded to two ethyl groups (represented by two 'C' atoms with single bonds to other 'C' atoms) and a carbonyl group (C=O). The carbonyl carbon is also bonded to a chlorine atom (Cl). The structure is drawn in a skeletal format.</p>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	135.59 g/mol	H302; H315; H319; H332; H335; H351 Warning	 	REACH; TSCA; IECSC; ENCS/IS
d	1.07 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	121 – 123 °C (133 hPa)			
m.p.	–32 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

1.4 Chloroformates

No.	Product [CAS Registry No.]	Formula
1.4.1	2-Ethylhexyl chloroformate [24468-13-1]	
1.4.2	4-tert.-Butylcyclohexyl chloroformate [42125-46-2]	
1.4.3	Benzyl chloroformate [501-53-1]	
1.4.4	Cetyl chloroformate RD [26272-90-2]	
1.4.5	Ethyl chloroformate [541-41-3]	
1.4.6	Methyl chloroformate [79-22-1]	
1.4.7	Myristyl chloroformate [56677-60-2]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	192.69 g/mol	H290; H315; H317; H330 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.988 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	> 120 °C			
m.p.	< -75 °C			
M	218.72 g/mol	H314; H331; H412; EUH071 Danger		REACH; TSCA; IECSC
d	1.05 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	90 – 100 °C (5 hPa)			
m.p.	-20 – -10 °C			
M	170.60 g/mol	H314; H330; H350; H373; H400; H410; EUH071 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.21 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	30 °C			
m.p.	< -18 °C			
M	304.90 g/mol	H290; H315; H317 Warning		REACH; TSCA; ENCS/IS
d	0.93 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	120 °C			
m.p.	15 °C			
M	108.52 g/mol	H225; H290; H301; H314; H330; EUH071 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.14 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	93 – 95 °C			
m.p.	-80 °C			
M	94.50 g/mol	H225; H290; H300; H312; H314; H330; EUH071 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.237 g/cm ³ (15 °C)			
% (w/w)	min. 99.0			
b.p.	71 – 72 °C			
m.p.	-61 °C			
M	276.85 g/mol	H315 Warning		REACH
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	not available			
m.p.	4 °C			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

1.4 Chloroformates

No.	Product [CAS Registry No.]	Formula
1.4.8	n-Hexyl chloroformate [6092-54-2]	 <p>The structure shows a central carbonyl group (C=O) bonded to a chlorine atom (Cl) on the left and an oxygen atom (O) on the right. This oxygen atom is further bonded to a six-carbon alkyl chain (n-hexyl group).</p>
1.4.9	Propyl chloroformate [109-61-5]	 <p>The structure shows a central carbonyl group (C=O) bonded to a chlorine atom (Cl) on the left and an oxygen atom (O) on the right. This oxygen atom is further bonded to a three-carbon alkyl chain (propyl group).</p>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	164.63 g/mol	H315; H330; H411 Danger		REACH; TSCA; IECSC
d	1.007 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	60 °C (9 hPa)			
m.p.	< -70 °C			
M	122.55 g/mol	H225; H290; H302; H314; H330; EUH071 Danger		REACH; TSCA; IECSC; ENCs/IS
d	1.09 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	106 °C			
m.p.	< -70 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content








b.p. = Boiling Point


















m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

2 Alcohols, Diols and Polyols

2.1 Mono Alcohols

No.	Product [CAS Registry No.]	Formula
2.1.1	1-Ethynyl-1-cyclohexanol [78-27-3]	
2.1.2	2-Mercaptoethanol [60-24-2]	
2.1.3	2-Methyl-3-butyn-2-ol [115-19-5]	
2.1.4	3,7,11-Trimethyldodecyn-3-ol [1604-35-9]	
2.1.5	3-Butyne-2-ol 55% sol. [2028-63-9]	
2.1.6	4-Ethyl-1-octyn-3-ol [5877-42-9]	
2.1.7	Propargyl alcohol 50% [107-19-7]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	124.18 g/mol	H302; H311; H315; H319 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.9760 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	179.75 °C			
m.p.	28 °C			
M	78.14 g/mol	H301; H310; H315; H317; H318; H331; H373; H400; H410 Danger	   	REACH; TSCA; IECSC; ENCS/IS
d	1.12 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	154 – 161 °C			
m.p.	< -50 °C			
M	84.12 g/mol	H225; H302; H318 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	0.86 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	102 – 105 °C			
m.p.	3 °C			
M	224.39 g/mol	H302; H315; H400; H410 Warning	 	REACH; IECSC; ENCS/IS
d	0.849 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	145 °C (13 hPa)			
m.p.	-65 °C			
M	70.09 g/mol	H226; H301; H310; H315; H319; H330; H412 Danger	 	REACH; TSCA; IECSC
d	0.95 g/cm ³ (20 °C)			
% (w/w)	min. 55.0			
b.p.	95 – 96 °C			
m.p.	-12 °C			
M	154.25 g/mol	H315; H318; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.87 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	205 °C			
m.p.	-45 °C			
M	not available	H226; H301; H310; H314; H330; H411 Danger	   	TSCA; IECSC; ENCS/IS
d	0.9852 g/cm ³ (20 °C)			
% (w/w)	48.0 – 52.0			
b.p.	97 °C			
m.p.	-18 °C			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content



b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

2.1 Mono Alcohols

No.	Product [CAS Registry No.]	Formula
2.1.8	Propargyl alcohol highly conc. [107-19-7]	 <chem>C#CCO</chem>
2.1.9	tert.-Amyl alcohol [75-85-4]	 <chem>CC(C)(C)CO</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	56.06 g/mol	H226; H301; H310; H314; H330; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.949 g/cm ³ (23 °C)			
% (w/w)	min. 99.3			
b.p.	114 – 115 °C			
m.p.	–52 – –48 °C			
M	88.15 g/mol	H225; H312; H315; H318; H332; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.806 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	102.4 °C			
m.p.	–8.4 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content









b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

2.2 Diols and Polyols

No.	Product [CAS Registry No.]	Formula
2.2.1	1,2-Pentanediol [5343-92-0]	
2.2.2	1,4-Butanediol [110-63-4]	
2.2.3	1,5-Pentanediol [111-29-5]	
2.2.4	2,5-Dimethyl-2,5-hexanediol [110-03-2]	
2.2.5	2-Butyne-1,4-diol pure cryst. unstab. [110-65-6]	
2.2.6	3-Hexyne-2,5-diol [3031-66-1]	
2.2.7	Butane-2,3-diol [513-85-9]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	104.15 g/mol	H318		REACH; TSCA; IECSC; ENCS/IS
d	0.97 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 98.0			
b.p.	208 – 210 °C			
m.p.	< –40 °C			
M	90.12 g/mol	H302; H336		REACH; TSCA; IECSC; ENCS/IS
d	1.02 g/cm ³ (20 °C)	Warning		
% (w/w)	min. 99.5			
b.p.	230 °C			
m.p.	20.4 °C			
M	104.15 g/mol			TSCA; IECSC; ENCS/IS
d	0.99 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	240 – 244 °C			
m.p.	–16 °C			
M	146.23 g/mol	H319		REACH; TSCA; IECSC; ENCS/IS
d	0.898 g/cm ³ (20 °C)	Warning		
% (w/w)	min. 99.5			
b.p.	214 – 215 °C			
m.p.	87 – 89 °C			
M	86.09 g/mol	H301; H311; H314; H317; H331; H373	  	REACH; TSCA; IECSC; ENCS/IS
d	1.11 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	125 – 127 °C (3 hPa)			
m.p.	56 °C			
M	114.14 g/mol	H301; H315; H318; H412	 	REACH; TSCA; IECSC; ENCS/IS
d	0.996 g/cm ³ (50 °C)	Danger		
% (w/w)	min. 95.0			
b.p.	230 °C			
m.p.	20 – 70 °C			
M	90.12 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	1.003 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	183 – 184 °C			
m.p.	20 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

2.2 Diols and Polyols

No.	Product [CAS Registry No.]	Formula
2.2.8	HDO® 1,6-Hexanediol flakes [629-11-8]	
2.2.9	HDO® 1,6-Hexanediol molten [629-11-8] Remark 1	
2.2.10	Hydroxypivalic acid neopentylglycolester flakes [1115-20-4]	
2.2.11	Hydroxypivalic acid neopentylglycolester molten [1115-20-4] Remark 1	
2.2.12	Neol® Neopentylglycol flakes [126-30-7]	
2.2.13	Neol® Neopentylglycol pure liquid [126-30-7] Remark 2	
2.2.14	Neol® Neopentylglycol sol. 90% fix calc. 100% [126-30-7]	

Remarks

1 Also available as flakes

2 Also available as flakes and 90% solution

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	118.18 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	0.96 g/cm ³ (20 °C)			
% (w/w)	min. 96.0			
b.p.	253 – 260 °C			
m.p.	40 – 42 °C			
M	118.18 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	0.96 g/cm ³ (20 °C)			
% (w/w)	min. 96.0			
b.p.	253 – 260 °C			
m.p.	40 – 42 °C			
M	204.27 g/mol	H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.02 g/cm ³ (67 °C)			
% (w/w)	min. 97.5			
b.p.	283.2 °C			
m.p.	46 – 50 °C			
M	204.27 g/mol	H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.02 g/cm ³ (67 °C)			
% (w/w)	min. 97.5			
b.p.	283.2 °C			
m.p.	46 – 50 °C			
M	104.15 g/mol	H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.06 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	210 °C			
m.p.	127.5 – 129.6 °C			
M	104.15 g/mol	H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.886 g/cm ³ (150 °C)			
% (w/w)	min. 99.0			
b.p.	210 °C			
m.p.	125 – 130 °C			
M	104.15 g/mol	H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.98 g/cm ³ (40 °C)			
% (w/w)	89.5 – 90.5			
b.p.	118 – 210 °C			
m.p.	< 35 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

2.2 Diols and Polyols

No.	Product [CAS Registry No.]	Formula
2.2.15	PolyTHF® 1000 [25190-06-1]	
2.2.16	PolyTHF® 1000 S [25190-06-1]	
2.2.17	PolyTHF® 1400 [25190-06-1]	
2.2.18	PolyTHF® 1800 [25190-06-1]	
2.2.19	PolyTHF® 2000 [25190-06-1]	
2.2.20	PolyTHF® 250 techn. [25190-06-1]	
2.2.21	PolyTHF® 650 S [25190-06-1]	

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 1000 g/mol d 0.982 g/cm ³ (30 °C) % (w/w) min. 99.9 b.p. > 250 °C m.p. 26 °C			TSCA; IECSC; ENCS/IS
M 1000 g/mol d 0.982 g/cm ³ (30 °C) % (w/w) min. 99.9 b.p. > 250 °C m.p. 26 °C			TSCA; IECSC; ENCS/IS
M 1400 g/mol d 0.9872 g/cm ³ (20 °C) % (w/w) min. 99.9 b.p. > 250 °C m.p. 26 – 36 °C			TSCA; IECSC; ENCS/IS
M 1800 g/mol d 0.975 g/cm ³ (40 °C) % (w/w) min. 99.9 b.p. > 250 °C m.p. 27 °C			TSCA; IECSC; ENCS/IS
M 2000 g/mol d 0.973 g/cm ³ (40 °C) % (w/w) min. 99.9 b.p. > 250 °C m.p. 36 °C			TSCA; IECSC; ENCS/IS
M 250 g/mol d 1.00 g/cm ³ (20 °C) % (w/w) min. 99.9 b.p. > 250 °C m.p. -14 °C	H412		TSCA; IECSC; ENCS/IS
M 650 g/mol d 0.987 g/cm ³ (25 °C) % (w/w) min. 99.9 b.p. > 250 °C m.p. 25 °C	H412		TSCA; IECSC; ENCS/IS

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content









b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

2.2 Diols and Polyols

No.	Product [CAS Registry No.]	Formula
2.2.22	Thiodiglycol [111-48-8]	
2.2.23	Thiodiglycol HP [111-48-8]	
2.2.24	Thiodiglycol ultra [111-48-8]	
2.2.25	TMDD 100% [126-86-3]	
2.2.26	TMDD 440 [9014-85-1]	
2.2.27	TMDD 50% BG [126-86-3]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	122.19 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCs/IS
d	1.18 g/cm ³ (20 °C)			
% (w/w)	min. 95.0			
b.p.	284 °C			
m.p.	-18 °C			
M	122.19 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCs/IS
d	1.18 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	284 °C			
m.p.	-18 °C			
M	122.19 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCs/IS
d	1.18 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	284 °C			
m.p.	-18 °C			
M	226.36 g/mol	H318; H412 Danger		TSCA; IECSC; ENCs/IS
d	0.89 g/cm ³ (25 °C)			
% (w/w)	min. 98.0			
b.p.	262 °C			
m.p.	< 55 °C			
M	not available	H319; H411 Warning	 	TSCA; IECSC; ENCs/IS
d	0.98 g/cm ³ (21 °C)			
% (w/w)	not available			
b.p.	291 °C			
m.p.	not available			
M	not available	H302; H312; H315; H318; H332; H412 Danger	 	TSCA; IECSC; ENCs/IS
d	0.9076 g/cm ³ (15 °C)			
% (w/w)	50.0 – 54.0			
b.p.	not available			
m.p.	not available			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content



b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

2.2 Diols and Polyols

No.	Product [CAS Registry No.]	Formula
2.2.28	TMDD 50% EG [126-86-3]	 <chem>CC(C)C(O)C#CC(O)C(C)C</chem>
2.2.29	TMDD 50% PG [126-86-3]	 <chem>CC(C)C(O)C#CC(O)C(C)C</chem>

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M not available d 1 g/cm ³ (20 °C) % (w/w) 47.0 – 51.0 b.p. 196 – 200 °C m.p. < -20 °C	H302; H318; H373; H412 Danger		TSCA; IECSC; ENCs/IS
M not available d 0.963 g/cm ³ (20 °C) % (w/w) 47.0 – 51.0 b.p. 186 – 190 °C m.p. < -20 °C	H318; H412 Danger		TSCA; IECSC; ENCs/IS

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content


b.p. = Boiling Point


m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

3 Aldehydes, Acetals and Ketones

3.1 Acetals

No.	Product [CAS Registry No.]	Formula
3.1.1	1,1-Dimethoxy-N,N-dimethyl methanamine [4637-24-5]	 <chem>CN(C)C(OC)OC</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	119.16 g/mol	H225; H317; H318; H332; H360D Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.90 g/cm ³ (20 °C)			
% (w/w)	min. 96.0			
b.p.	104 – 108 °C			
m.p.	–85 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

3.2 Aldehydes

No.	Product [CAS Registry No.]	Formula
3.2.1	2-Ethylhexanal [123-05-7]	
3.2.2	2-Methylpentanal [123-15-9]	
3.2.3	3-Formylpinan raw [60113-43-1]	
3.2.4	Glutaraldehyde 24% sol. [111-30-8]	
3.2.5	Glutaraldehyde 50% solution low methanol [111-30-8]	
3.2.6	Glyoxal 40% [107-22-2]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	128.21 g/mol	H226; H315; H317; H319; H361d Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.822 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	162 °C			
m.p.	-85 °C			
M	100.16 g/mol	H225; H315; H319; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.81 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	118 °C			
m.p.	-100 °C			
M	not available	H226; H302; H315; H317; H319; H411 Warning		TSCA; IECSC
d	0.9292 g/cm ³ (20 °C)			
% (w/w)	min. 50.0			
b.p.	155 – 235 °C			
m.p.	< -50 °C			
M	100.12 g/mol	H290; H302; H314; H317; H332; H334 Danger		REACH; TSCA; IECSC; ENCS/IS
d	not available			
% (w/w)	23.5 – 24.5			
b.p.	101.5 °C			
m.p.	-5 °C			
M	100.12 g/mol	H290; H301; H314; H317; H331; H334; H400 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.13 g/cm ³ (20 °C)			
% (w/w)	50.0 – 51.0			
b.p.	101.5 °C			
m.p.	-33 °C			
M	58.04 g/mol	H315; H317; H319; H332; H335; H341 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.27 g/cm ³ (20 °C)			
% (w/w)	39.5 – 40.5			
b.p.	103.6 °C			
m.p.	-50 – -15 °C			

Explanation of symbols

M = Mol. Weight

d = Density






% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point









If not specified, b.p. and m.p. measured at 1013 hPa.

3.3 Ketones

No.	Product [CAS Registry No.]	Formula
3.3.1	Cyclododecanone [830-13-7]	
3.3.2	Cyclododecanone F [830-13-7]	
3.3.3	Cyclopentanone [120-92-3]	
3.3.4	Cyclopentanone P [120-92-3] Remark 1	
3.3.5	Diethylketone [96-22-0]	

Remarks

1 Also available in drums (180 kg)

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	182.31 g/mol	H411		REACH; TSCA; IECSC; ENCs/IS
d	0.9700 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	277 °C			
m.p.	61 °C			
M	182.31 g/mol	H411		REACH; TSCA; IECSC; ENCs/IS
d	0.9700 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	277 °C			
m.p.	61 °C			
M	84.12 g/mol	H226; H315; H319 Warning	 	REACH; TSCA; IECSC; ENCs/IS
d	0.945 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	131 °C			
m.p.	-51 °C			
M	84.12 g/mol	H226; H315; H319 Warning	 	REACH; TSCA; IECSC; ENCs/IS
d	0.945 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	131 °C			
m.p.	-51 °C			
M	86.13 g/mol	H225; H319; H335; H336; EUH066 Danger	 	REACH; TSCA; IECSC; ENCs/IS
d	0.815 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	101 – 102 °C			
m.p.	-39 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content








b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.








4 Amines

4.1 Aliphatic Monoamines

No.	Product [CAS Registry No.]	Formula
4.1.1	2-Ethylhexylamine [104-75-6]	
4.1.2	Butylamine [109-73-9]	
4.1.3	Di-(2-ethylhexyl)amine [106-20-7]	
4.1.4	Dibutylamine [111-92-2]	
4.1.5	Dicyclohexylamine [101-83-7]	
4.1.6	Diethylamine [109-89-7]	
4.1.7	Dimethylamine anhydrous [124-40-3] Remark 1	

Remarks

1 Also available as aqueous solution in different concentrations

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	129.25 g/mol	H226; H302; H311; H314; H330 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.78 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	169.8 °C			
m.p.	< -70 °C			
M	73.14 g/mol	H225; H290; H302; H311; H314; H331; H335 Danger		TSCA; IECSC; ENCS/IS
d	0.736 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	77 °C			
m.p.	-47 °C			
M	241.46 g/mol	H302; H311; H314; H331; H411 Danger		TSCA; IECSC; ENCS/IS
d	0.803 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	281.1 °C			
m.p.	< -70 °C			
M	129.25 g/mol	H226; H302; H311; H314; H330 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.7577 g/cm ³ (22.9 °C)			
% (w/w)	min. 99.5			
b.p.	160 °C			
m.p.	-62 °C			
M	181.32 g/mol	H301; H314; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.912 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	256 °C			
m.p.	-0.1 °C			
M	73.14 g/mol	H225; H302; H311; H314; H332; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.71 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	53.5 – 56.1 °C			
m.p.	-50 °C			
M	45.08 g/mol	H220; H280; H315; H318; H332; H335; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.67 g/cm ³ (7 °C)			
% (w/w)	min. 99.5			
b.p.	7 °C			
m.p.	-92.2 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content








b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.1 Aliphatic Monoamines

No.	Product [CAS Registry No.]	Formula
4.1.8	Dimethylethylamine [598-56-1]	
4.1.9	Dimethylpropylamine [926-63-6]	
4.1.10	Dipropylamine [142-84-7]	
4.1.11	Ditridecylamine mixture of isomers [101012-97-9]	
4.1.12	Ethylamine solution 70% [75-04-7]	
4.1.13	Isopropylamine anhydrous [75-31-0]	
4.1.14	Lupragen® N 100 – N,N-Dimethylcyclohexylamine [98-94-2]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	73.14 g/mol	H225; H302; H314; H331 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.68 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	36.5 °C			
m.p.	-140 °C			
M	87.16 g/mol	H225; H302; H315; H318; H331; H412 Danger		REACH; TSCA; IECSC
d	0.7081 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	65.75 °C			
m.p.	< -20 °C			
M	101.19 g/mol	H225; H302; H311; H314; H331; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.738 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	109.3 °C			
m.p.	-40 °C			
M	not available	H314; H412 Danger		REACH; ENCS/IS
d	0.836 g/cm ³ (20 °C)			
% (w/w)	min. 90.0			
b.p.	220 – 240 °C (10 hPa)			
m.p.	< -45 °C			
M	45.08 g/mol	H225; H302; H311; H314; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.8 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	39 °C			
m.p.	< -70 °C			
M	59.11 g/mol	H224; H315; H319; H335 Danger		TSCA; IECSC; ENCS/IS
d	0.6871 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	32 °C			
m.p.	< -90 °C			
M	127.23 g/mol	H226; H301; H311; H314; H331 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.85 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	162.3 °C			
m.p.	< -77 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.1 Aliphatic Monoamines

No.	Product [CAS Registry No.]	Formula
4.1.15	Monomethylamine anhydrous [74-89-5] Remark 1	
4.1.16	N,N-Dimethylisopropylamine [996-35-0]	
4.1.17	N-Ethyl-diisopropylamine [7087-68-5]	
4.1.18	N-Ethyl-N-propylamine azeotrope [20193-20-8]	
4.1.19	N-Methyl-N-isopropylamine [4747-21-1]	
4.1.20	N-Octylamine [111-86-4]	
4.1.21	Propylamine [107-10-8]	

Remarks

1 Also available as aqueous solution

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	31.06 g/mol	H220; H280; H315; H318; H331; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.384 kg/m ³ (0 °C)			
% (w/w)	min. 99.5			
b.p.	-6.5 °C			
m.p.	-92.5 °C			
M	87.16 g/mol	H225; H302; H314; H331; H411 Danger		REACH; TSCA; IECSC
d	0.72 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	66.25 °C			
m.p.	< -70 °C			
M	129.25 g/mol	H225; H302; H314; H402; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.7561 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	127 °C			
m.p.	-127 °C			
M	87.16 g/mol	H225; H302; H314 Danger		REACH; TSCA; IECSC
d	0.776 g/cm ³ (22.7 °C)			
% (w/w)	min. 99.0			
b.p.	83 °C			
m.p.	-75 °C			
M	73.14 g/mol	H225; H301; H314; H331 Danger		REACH
d	0.704 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	50 – 53 °C			
m.p.	< -40 °C			
M	129.25 g/mol	H226; H302; H312; H314; H332; H400 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.779 g/cm ³ (25 °C)			
% (w/w)	min. 99.0			
b.p.	178.49 °C			
m.p.	-1 °C			
M	59.11 g/mol	H225; H290; H302; H311; H314; H331 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.72 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	47.2 °C			
m.p.	-83 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.1 Aliphatic Monoamines

No.	Product [CAS Registry No.]	Formula
4.1.22	tert.-Butylamine [75-64-9]	
4.1.23	Tributylamine [102-82-9] Remark 1	
4.1.24	Tridecylamine mixture of isomers [86089-17-0]	
4.1.25	Triethylamine anhydrous [121-44-8]	
4.1.26	Trimethylamine anhydrous [75-50-3]	
4.1.27	Trimethylaminehydrochloride sol. 70% [593-81-7]	
4.1.28	Tripropylamine [102-69-2] Remark 1	

Remarks

1 Also available as high purity special grade

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	73.14 g/mol	H225; H302; H314; H331; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.7008 g/cm ³ (15 °C)			
% (w/w)	min. 99.5			
b.p.	45.2 °C			
m.p.	-68 – -67.5 °C			
M	185.35 g/mol	H302; H310; H315; H330 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.78 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	215 °C			
m.p.	< -70 °C			
M	not available	H302; H314; H400; H410 Danger		REACH; IECSC; ENCS/IS
d	0.818 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	248 – 255 °C			
m.p.	< -70 °C			
M	101.19 g/mol	H225; H302; H311; H314; H332; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.7275 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	89.3 °C			
m.p.	-114.7 °C			
M	59.11 g/mol	H220; H280; H315; H318; H332; H335 Danger		TSCA; IECSC; ENCS/IS
d	0.258 g/l (not available)			
% (w/w)	min. 99.5			
b.p.	2.87 °C			
m.p.	-117.1 °C			
M	95.57 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.03 g/cm ³ (20 °C)			
% (w/w)	min. 70.0			
b.p.	130 °C			
m.p.	1 – 8 °C			
M	143.27 g/mol	H226; H302; H311; H314; H330; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.76 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	156.5 °C			
m.p.	-93.5 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.1 Aliphatic Monoamines

No.	Product [CAS Registry No.]	Formula
4.1.29	Tris-(2-ethylhexyl)amine [1860-26-0]	 <p>The chemical structure shows a central nitrogen atom bonded to three 2-ethylhexyl groups. Each 2-ethylhexyl group is represented as a zigzag line with a branch at the second carbon from the nitrogen. The nitrogen atom is labeled with 'N'.</p>

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 353.68 g/mol d 0.8174 g/cm ³ (20 °C) % (w/w) min. 99.0 b.p. 204 – 211 °C (30 hPa) m.p. –48.6 °C	H413		REACH; TSCA; IECSC; ENCS/IS

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point








If not specified, b.p. and m.p. measured at 1013 hPa.

4.2 Aliphatic Diamines

No.	Product [CAS Registry No.]	Formula
4.2.1	1,2-Propylenediamine techn. [78-90-0] Remark 1	
4.2.2	1,3-Diaminopropane [109-76-2]	
4.2.3	2-(Diethylamino)ethylamine [100-36-7]	
4.2.4	2-(Diisopropylamino)ethylamine [121-05-1]	
4.2.5	3-(Cyclohexylamino)propylamine [3312-60-5] Remark 2	
4.2.6	3-(Diethylamino)propylamine [104-78-9]	
4.2.7	3-(Dimethylamino)propylamine [109-55-7]	

Remarks

- 1 Also available as solution on request
- 2 Marketed as Baxxodur® EC 252 for epoxy applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	74.13 g/mol	H226; H302; H311; H314; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.86 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	119 – 121 °C			
m.p.	-37 °C			
M	74.1 g/mol	H226; H290; H302; H310; H314; H317 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.89 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	140 °C			
m.p.	-12 °C			
M	116.21 g/mol	H226; H290; H302; H311; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.819 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	144 °C			
m.p.	< -70 °C			
M	144.26 g/mol	H226; H302; H314 Danger		REACH; TSCA; IECSC
d	0.825 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	179 – 180 °C			
m.p.	-30 °C			
M	156.27 g/mol	H302; H314; H317; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	not available			
% (w/w)	min. 99.0			
b.p.	236 °C			
m.p.	-16 °C			
M	130.23 g/mol	H226; H302; H311; H314; H317 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.826 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	170 °C			
m.p.	< -60 °C			
M	102.18 g/mol	H226; H302; H311; H314; H317; H331 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.818 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	134 °C			
m.p.	< -50 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.2 Aliphatic Diamines

No.	Product [CAS Registry No.]	Formula
4.2.8	3,3'-Dimethyl-4,4'-diamino-dicyclohexylmethane [6864-37-5]	
4.2.9	4,4'-Diaminodicyclohexylmethane [1761-71-3]	
4.2.10	Baxxodur® ECX 210	
4.2.11	Baxxodur® PC 136 [93940-97-7]	
4.2.12	Ethylenediamine [107-15-3]	
4.2.13	Isophorone diamine [2855-13-2] Remark 1	

Remarks

1 Marketed as Baxxodur® EC 201 for epoxy applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	238.42 g/mol	H302; H311; H314; H330; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.9456 g/cm ³ (20 °C)			
% (w/w)	min. 99.6			
b.p.	347 °C			
m.p.	-7.1 °C			
M	210.36 g/mol	H302; H314; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.93 g/cm ³ (60 °C)			
% (w/w)	min. 99.0			
b.p.	329.76 °C			
m.p.	33.5 – 44 °C			
M	128.22 g/mol	H302; H314; H317; H412 Danger		REACH; TSCA; IECSC
d	0.9395 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	210 °C			
m.p.	-92 °C			
M	276.4 g/mol	H302; H317; H412 Warning		REACH; TSCA; IECSC
d	0.9878 g/cm ³ (20 °C)			
% (w/w)	min. 95.0			
b.p.	> 200 °C			
m.p.	< -20 °C			
M	60.10 g/mol	H226; H302; H311; H314; H317; H334 Danger		REACH; TSCA; IECSC; ENCS/IS
d	897 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	117.1 °C			
m.p.	11.1 °C			
M	170.30 g/mol	H302; H312; H314; H317; H412 Danger		TSCA; IECSC; ENCS/IS
d	0.92 g/cm ³ (20 °C)			
% (w/w)	min. 99.7			
b.p.	247 °C			
m.p.	10 °C			

Explanation of symbols

M = Mol. Weight

d = Density





% (w/w) = Purity/Content





b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.2 Aliphatic Diamines

No.	Product [CAS Registry No.]	Formula
4.2.14	Lupragen® N 500 – Tetramethyl-1,6-hexanediamine [111-18-2]	 <chem>CN(C)CCCCCN(C)C</chem>
4.2.15	N,N,N',N'-Tetramethyl-1,3-propane diamine [110-95-2]	 <chem>CN(C)CCCN(C)C</chem>
4.2.16	Neopentanediamine (2,2-Dimethyl propane-1,3-diamine) [7328-91-8]	 <chem>CN(C)CC(C)(C)CCN</chem>
4.2.17	Octamethylenediamine [373-44-4]	 <chem>NCCCCCCCCN</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	172.31 g/mol	H302; H314; H330; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.803 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	212 – 216 °C			
m.p.	–46 °C			
M	130.23 g/mol	H226; H302; H312; H314; H331; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.78 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	144 – 148 °C			
m.p.	< –70 °C			
M	102.18 g/mol	H226; H302; H312; H314; H317 Danger		REACH; TSCA; IECSC
d	0.85 g/cm ³ (40 °C)			
% (w/w)	min. 97.5			
b.p.	153 °C			
m.p.	28 – 30 °C			
M	144.26 g/mol	H302; H314; H317 Danger		REACH; IECSC; ENCS/IS
d	0.827 g/cm ³ (60 °C)			
% (w/w)	min. 99.0			
b.p.	237 – 238 °C			
m.p.	51 °C			

Explanation of symbols

M = Mol. Weight

d = Density






% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.3 Aliphatic Oligoamines

No.	Product [CAS Registry No.]	Formula
4.3.1	AMIX 1000 [68910-05-4] Remark 1	
4.3.2	AMIX A [92731-41-4] Remark 1	
4.3.3	Diethylenetriamine [111-40-0]	
4.3.4	Dipropylene triamine [56-18-8] Remark 2	
4.3.5	Lupragen® N 301 – Pentamethyl- diethylenetriamine [3030-47-5]	
4.3.6	N,N-Bis-(3-aminopropyl)methylamine [105-83-9]	
4.3.7	N3-Amine 3-(2-Aminoethylamino) propylamine [13531-52-7]	

Remarks

- 1 Ethyleneamines mixture
- 2 Marketed as Baxxodur® EC 110 for epoxy applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available	H314; H317; H331; H335; H360FD; H410 Danger		REACH; TSCA; IECSC
d	1.034 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	236 – 310 °C			
m.p.	–30 °C			
M	not available	H302; H311; H314; H317; H360FD; H412 Danger		REACH; TSCA; IECSC
d	0.980 g/cm ³ (20 °C)			
% (w/w)	not available			
m.p.	< –20 °C			
M	103.17 g/mol	H302; H311; H314; H317; H330; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.9586 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	206 °C			
m.p.	–39 °C			
M	131.22 g/mol	H290; H302; H311; H314; H317; H330; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.928 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	239 °C			
m.p.	–16 °C			
M	173.30 g/mol	H302; H311; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.830 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	199 °C			
m.p.	< –20 °C			
M	145.25 g/mol	H302; H310; H314; H330 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.904 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	235 °C			
m.p.	< –35 °C			
M	117.19 g/mol	H302; H310; H314; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.93 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	221 °C			
m.p.	10 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content


b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.3 Aliphatic Oligoamines

No.	Product [CAS Registry No.]	Formula
4.3.8	N4-Amine N,N'-Bis-(3-Aminopropyl) ethylenediamine [10563-26-5]	 <p>The chemical structure shows a central ethylenediamine core (two nitrogen atoms connected by a two-carbon chain). Each nitrogen atom is also bonded to a hydrogen atom and a 3-aminopropyl group (a three-carbon chain ending in an amino group). The structure is symmetrical and represents the N4-amine form.</p>

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 174.29 g/mol d 0.95 g/cm ³ (20 °C) % (w/w) min. 93.0 b.p. > 169 °C m.p. -1.5 °C	H302; H310; H314; H317; H412 Danger		REACH; TSCA; IECSC

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

















If not specified, b.p. and m.p. measured at 1013 hPa.

4.4 Etheramines

No.	Product [CAS Registry No.]	Formula
4.4.1	2-Methoxyethylamine [109-85-3]	
4.4.2	3-Methoxypropylamine [5332-73-0]	
4.4.3	4,7,10-Trioxatridecane-1,13-diamine [4246-51-9] Remark 1	
4.4.4	4,9-Dioxadodecane-1,12-diamine [7300-34-7] Remark 2	
4.4.5	Di-(2-methoxyethyl)amine [111-95-5]	
4.4.6	Lupragen® N 205 – Bis(2-dimethyl-aminoethyl)ether [3033-62-3]	
4.4.7	Polyetheramine D 2000 [9046-10-0] Remark 3	

Remarks

- 1 Marketed as Baxxodur® EC 130 for epoxy applications
- 2 Marketed as Baxxodur® EC 280 for epoxy applications
- 3 Marketed as Baxxodur® EC 303 for epoxy applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	75.11 g/mol	H225; H302; H312; H314 Danger	  	REACH; TSCA; IECSC
d	0.871 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	90.4 °C			
m.p.	< -70 °C			
M	89.14 g/mol	H226; H302; H314; H317; H412 Danger	  	TSCA; IECSC; ENCS/IS
d	0.8761 g/cm ³ (15 °C)			
% (w/w)	min. 99.0			
b.p.	116 °C			
m.p.	< -70 °C			
M	220.31 g/mol	H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.01 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	146 – 148 °C (1 hPa)			
m.p.	-32 °C			
M	204.31 g/mol	H314; H332 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.956 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	298 °C			
m.p.	4.5 °C			
M	133.19 g/mol	H226; H312; H314 Danger	  	REACH; TSCA; IECSC
d	0.911 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	169 – 173 °C			
m.p.	< -60 °C			
M	160.26 g/mol	H302; H311; H314; H332; H412 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.853 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	188 °C			
m.p.	< -80 °C			
M	2.000 g/mol	H302; H314; H412 Danger	 	TSCA; IECSC; ENCS/IS
d	0.9943 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	> 250 °C			
m.p.	-29 °C			

Explanation of symbols

M = Mol. Weight

d = Density





% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.4 Etheramines

No.	Product [CAS Registry No.]	Formula
4.4.8	Polyetheramine D 230 [9046-10-0] Remark 1	
4.4.9	Polyetheramine D 400 [9046-10-0] Remark 2	
4.4.10	Polyetheramine T 403 [39423-51-3] Remark 3	
4.4.11	Polyetheramine T 5000 [64852-22-8] Remark 4	

Remarks

- 1 Marketed as Baxxodur® EC 301 for epoxy applications
- 2 Marketed as Baxxodur® EC 302 for epoxy applications
- 3 Marketed as Baxxodur® EC 310 for epoxy applications (available in all regions except Europe)
- 4 Marketed as Baxxodur® EC 311 for epoxy applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available	H302; H312; H314; H412 Danger		TSCA; IECSC; ENCS/IS
d	0.9476 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	> 200 °C			
m.p.	-88 °C			
M	not available	H302; H312; H314; H412 Danger		TSCA; IECSC; ENCS/IS
d	0.97 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	> 200 °C			
m.p.	< -40 °C			
M	not available	H301; H315; H318; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.987 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	> 250 °C			
m.p.	< -20 °C			
M	not available	H315; H318 Danger		TSCA; IECSC; ENCS/IS
d	0.998 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	> 200 °C			
m.p.	-50 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point
















If not specified, b.p. and m.p. measured at 1013 hPa.

4.5 Polyurethane Catalysts (Lupragens)

No.	Product [CAS Registry No.]	Formula
4.5.1	Lupragen® N 100 – N,N-Dimethylcyclohexylamine [98-94-2]	
4.5.2	Lupragen® N 101 – Dimethylethanolamine [108-01-0]	
4.5.3	Lupragen® N 105 – N-Methylmorpholine [109-02-4] Remark 1	
4.5.4	Lupragen® N 106 – 2,2'-Dimorpholinodiethylether [6425-39-4]	
4.5.5	Lupragen® N 107 – Dimethylaminoethoxyethanol [1704-62-7]	
4.5.6	Lupragen® N 201 – Triethylenediamine in dipropyleneglycol [280-57-9] Remark 2	
4.5.7	Lupragen® N 203 – Triethylenediamine in monoethyleneglycol [280-57-9] Remark 2	

Remarks

- 1 Methylmorpholine P is available for pharma applications
- 2 Exclusively marketed by Evonik Industries AG

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	127.23 g/mol	H226; H301; H311; H314; H331 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	0.85 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	162.3 °C			
m.p.	< -77 °C			
M	89.14 g/mol	H226; H302; H312; H314; H331; H335 Danger	  	TSCA; IECSC; ENCS/IS
d	0.887 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	134.1 °C			
m.p.	-59 °C			
M	101.15 g/mol	H225; H312; H314 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	0.82 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	115 °C			
m.p.	-65 °C			
M	244.33 g/mol	H315; H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.0603 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	309 °C			
m.p.	-28 °C			
M	133.19 g/mol	H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.9549 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	203.5 °C			
m.p.	< -70 °C			
M	not available	H302; H315; H318 Danger	 	TSCA; IECSC; ENCS/IS
d	1.025 g/cm ³ (20 °C)			
% (w/w)	33.1 – 33.5			
b.p.	not available			
m.p.	-39 °C			
M	not available	H302; H315; H318; H335 Danger	 	TSCA; IECSC; ENCS/IS
d	1.09 g/cm ³ (25 °C)			
% (w/w)	33.1 – 33.5			
b.p.	196 °C			
m.p.	-67 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point













If not specified, b.p. and m.p. measured at 1013 hPa.

4.5 Polyurethane Catalysts (Lupragens)

No.	Product [CAS Registry No.]	Formula
4.5.8	Lupragen® N 205 – Bis(2-dimethylaminoethyl)ether [3033-62-3]	
4.5.9	Lupragen® N 301 – Pentamethyldiethylenetriamine [3030-47-5]	
4.5.10	Lupragen® N 400 – Trimethylaminoethylethanolamine [2212-32-0]	
4.5.11	Lupragen® N 500 – Tetramethyl-1,6-hexanediamine [111-18-2]	
4.5.12	Lupragen® N 600 – S-Triazine [15875-13-5]	
4.5.13	Lupragen® N 700 – 1,8-Diazabicyclo-5,4,0-undecene-7 [6674-22-2] Remark 1	

Remarks

1 Diazabicycloundecene P is available for pharma applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	160.26 g/mol	H302; H311; H314; H332; H412 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.853 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	188 °C			
m.p.	< -80 °C			
M	173.30 g/mol	H302; H311; H314 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.830 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	199 °C			
m.p.	< -20 °C			
M	146.23 g/mol	H315; H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.914 g/cm ³ (15 °C)			
% (w/w)	min. 98.5			
b.p.	210 °C			
m.p.	< -70 °C			
M	172.31 g/mol	H302; H314; H330; H411 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	0.803 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	212 – 216 °C			
m.p.	-46 °C			
M	342.57 g/mol	H312; H315; H318 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.91 g/cm ³ (25 °C)			
% (w/w)	not available			
b.p.	225 °C			
m.p.	-59 °C			
M	152.24 g/mol	H302; H314; H412 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	1.019 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	261.86 °C			
m.p.	-70 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.6 Aromatic Amines and Nitro Compounds

No.	Product [CAS Registry No.]	Formula
4.6.1	2,6-Xylidine [87-62-7]	
4.6.2	2-Phenylethylamine [64-04-0]	
4.6.3	4,4'-Diaminodiphenylmethane molten plus [101-77-9]	
4.6.4	Aniline [62-53-3]	
4.6.5	Anthranilic acid amide dry [88-68-6]	
4.6.6	Benzylamine [100-46-9]	
4.6.7	Diethanol-para-toluidine [3077-12-1]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	121.18 g/mol	H302; H312; H315; H319; H332; H335; H351; H411 Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.96 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	216 °C			
m.p.	11.2 °C			
M	121.18 g/mol	H301; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.985 g/cm ³ (25 °C)			
% (w/w)	min. 99.0			
b.p.	200 – 202 °C			
m.p.	< -60 °C			
M	198.27 g/mol	H317; H341; H350; H370; H373; H410 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.08 g/cm ³ (96 °C)			
% (w/w)	min. 96.5			
b.p.	398 °C			
m.p.	90 °C			
M	93.13 g/mol	H301; H311; H317; H318; H331; H341; H351; H372; H400 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.9			
b.p.	184.1 °C			
m.p.	-6 °C			
M	136.15 g/mol	H318 Danger		REACH; TSCA; IECSC
d	not available			
% (w/w)	min. 99.0			
b.p.	not available			
m.p.	107 – 111 °C			
M	107.16 g/mol	H302; H312; H314; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.983 g/cm ³ (19 °C)			
% (w/w)	min. 99.0			
b.p.	182 – 185 °C			
m.p.	-42.8 °C			
M	195.26 g/mol	H302; H312; H318; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.107 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	> 200 °C			
m.p.	< -10 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content



















b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.6 Aromatic Amines and Nitro Compounds

No.	Product [CAS Registry No.]	Formula
4.6.8	Diethanol-para-toluidine in MMA, 50 : 50	
4.6.9	Diisopropanol-p-toluidine [38668-48-3]	
4.6.10	N-(2-Hydroxyethyl)aniline [122-98-5]	
4.6.11	N,N-Di-(2-hydroxyethyl)aniline [120-07-0]	
4.6.12	N-Ethyl-N-(2-hydroxyethyl)aniline [92-50-2]	
4.6.13	o-Toluidine pure [95-53-4]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available	H225; H315; H317; H318; H335 Danger	  	TSCA; IECSC; ENCs/IS
d	1.026 g/cm ³ (20 °C)			
% (w/w)	50.0			
b.p.	not available			
m.p.	not available			
M	223.32 g/mol	H300; H318; H412 Danger	  	REACH; TSCA; IECSC; ENCs/IS
d	0.99 g/cm ³ (80 °C)			
% (w/w)	min. 96.0			
b.p.	> 300 °C			
m.p.	65 – 72 °C			
M	137.18 g/mol	H301; H311; H318; H373 Danger	  	REACH; TSCA; IECSC; ENCs/IS
d	1.0954 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	278 °C			
m.p.	–32 °C			
M	181.23 g/mol	H317; H318; H412 Danger	  	REACH; TSCA; IECSC; ENCs/IS
d	1.1 g/cm ³ (60 °C)			
% (w/w)	min. 95.0			
b.p.	380 °C			
m.p.	57.8 °C			
M	not available	H302; H317; H318 Danger	  	TSCA; IECSC; ENCs/IS
d	1.03 g/cm ³ (40 °C)			
% (w/w)	min. 98.0			
b.p.	270 °C			
m.p.	15 °C			
M	107.16 g/mol	H301; H315; H317; H319; H331; H350; H400 Danger	  	REACH; TSCA; IECSC; ENCs/IS
d	1.00 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	200 – 201 °C			
m.p.	–23 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content


b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

4.6 Aromatic Amines and Nitro Compounds

No.	Product [CAS Registry No.]	Formula
4.6.14	p-Nitrotoluene pure [99-99-0]	 <p>The chemical structure shows a benzene ring with a nitro group (-NO₂) at the top position and a methyl group (-CH₃) at the para position (bottom). The nitro group is represented with a central nitrogen atom (N⁺) bonded to two oxygen atoms (O⁻), one above and one to the left. The methyl group is a single line extending from the bottom vertex of the benzene ring.</p>

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 137.14 g/mol d 1.29 g/cm ³ (20 °C) % (w/w) min. 99.5 b.p. 238 °C m.p. 51.3 °C	H301; H311; H331; H373; H411 Danger		REACH; TSCA; IECSC; ENCS/IS

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point





If not specified, b.p. and m.p. measured at 1013 hPa.

4.7 AMIX

No.	Product [CAS Registry No.]	Formula
4.7.1	AMIX 1000 [68910-05-4] Remark 1	
4.7.2	AMIX A [92731-41-4] Remark 1	
4.7.3	AMIX M [68909-77-3] Remark 2	
4.7.4	AMIX TE [68953-70-8] Remark 3	
4.7.5	AMIX TI solution [122-20-3] Remark 4	

Remarks

- 1 Ethyleneamines mixture
- 2 High boiling morpholine derivatives
- 3 Min. 75% Triethanolamine (GC)
- 4 Solution of Triisopropanolamine technical grade, Diisopropanolamine and water

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available	H314; H317; H331; H335; H360FD; H410 Danger		REACH; TSCA; IECSC
d	1.034 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	236 – 310 °C			
m.p.	-30 °C			
M	not available	H302; H311; H314; H317; H360FD; H412 Danger		REACH; TSCA; IECSC
d	0.980 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	> 200 °C			
m.p.	< -20 °C			
M	not available	H315; H317; H318 Danger		REACH; TSCA; IECSC
d	1.0993 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	266 – 330 °C			
m.p.	-65 °C			
M	not available			REACH; TSCA; IECSC
d	1.161 g/cm ³ (20 °C)			
% (w/w)	min. 75.0			
b.p.	> 360 °C			
m.p.	< 0 °C			
M	191.27 g/mol	H319; H412 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.0318 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	100 – 370 °C			
m.p.	0 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content





b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

5 Amino Alcohols

5.1 Ethanolamines

No.	Product [CAS Registry No.]	Formula
5.1.1	AMIX TE [68953-70-8] Remark 1	
5.1.2	Diethanolamine pure [111-42-2] Remark 2	 <chem>OCCNCCO</chem>
5.1.3	Ethanolamine mixtures (anhydrous) Remark 3	
5.1.4	Monoethanolamine pure [141-43-5] Remark 4	 <chem>NCCO</chem>
5.1.5	Triethanolamine pure [102-71-6] Remark 5	 <chem>OCCN(CCO)CCO</chem>
5.1.6	Triethanolamine S [102-71-6]	 <chem>OCCN(CCO)CCO</chem>

Remarks

- 1 Min. 75% Triethanolamine (GC)
- 2 Also available as aqueous solution in different concentrations (lower freezing points for easier handling)
- 3 Composition on request
- 4 Also available as electronic grade, as personal care grade and as aqueous solution in different concentrations (lower freezing points for easier handling)
- 5 Also available as personal care grade and as aqueous solution in different concentrations (lower freezing points for easier handling)

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available			REACH; TSCA; IECSC
d	1.161 g/cm ³ (20 °C)			
% (w/w)	min. 75.0			
b.p.	> 360 °C			
m.p.	< 0 °C			
M	105.14 g/mol	H302; H315; H318; H373 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.0953 g/cm ³ (20 °C)			
% (w/w)	min. 99.3			
b.p.	269.9 °C			
m.p.	27.4 °C			
M	not available	H302; H315; H318; H373 Danger		TSCA; IECSC; ENCS/IS
d	1.1 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	> 268 °C			
m.p.	< 20 °C			
M	61.08 g/mol	H302; H312; H314; H332; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.0157 g/cm ³ (20 °C)			
% (w/w)	min. 99.7			
b.p.	170.3 °C			
m.p.	10.5 °C			
M	149.19 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	1.125 g/cm ³ (20 °C)			
% (w/w)	min. 99.3			
b.p.	336.1 °C			
m.p.	18 – 23 °C			
M	149.00 g/mol	H318; H373 Danger		TSCA; IECSC; ENCS/IS
d	1.13 g/cm ³ (20 °C)			
% (w/w)	82.0 – 88.0			
b.p.	175 – 185 °C (2 hPa)			
m.p.	8 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point



If not specified, b.p. and m.p. measured at 1013 hPa.

5.1 Ethanolamines

No.	Product [CAS Registry No.]	Formula
5.1.7	Triethanolamine T 85 [102-71-6] Remark 1	 <chem>OCCN(CCO)CCO</chem>

Remarks

1 Triethanolamine mixture with diethanolamine; also available as aqueous solution in different concentrations (lower freezing points for easier handling)

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	149.19 g/mol	H318; H373	 	TSCA; IECSC; ENCS/IS
d	1.13 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 85.0			
b.p.	> 270 °C			
m.p.	13 °C			

Explanation of symbols

M = Mol. Weight

d = Density




% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point






If not specified, b.p. and m.p. measured at 1013 hPa.

5.2 Isopropanolamines

No.	Product [CAS Registry No.]	Formula
5.2.1	AMIX TI solution [122-20-3] Remark 1	
5.2.2	Diisopropanolamine [110-97-4] Remark 2	
5.2.3	Isopropanolamine [78-96-6]	
5.2.4	Triisopropanolamine [122-20-3] Remark 3	

Remarks

- 1 Solution of Triisopropanolamine technical grade, Diisopropanolamine and water
- 2 Also available in different purity grades and as aqueous solution in different concentrations on request
- 3 Also available as technical grade and 85% aqueous solution

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	191.27 g/mol	H319; H412 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.0318 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	100 – 370 °C			
m.p.	0 °C			
M	133.19 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.9849 g/cm ³ (50 °C)			
% (w/w)	min. 99.0			
b.p.	248.8 – 254.5 °C			
m.p.	44.5 – 45.5 °C			
M	75.11 g/mol	H312; H314 Danger	 	TSCA; IECSC; ENCS/IS
d	0.962 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	158 – 159 °C			
m.p.	2 °C			
M	191.27 g/mol	H319; H412 Warning		TSCA; IECSC; ENCS/IS
d	1.0 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	301.1 °C			
m.p.	45 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

5.3 Alkylamino Alcohols

No.	Product [CAS Registry No.]	Formula
5.3.1	3-Dimethylaminopropane-1-ol [3179-63-3]	
5.3.2	Butyldiethanolamine [102-79-4]	
5.3.3	Butylethanolamine [111-75-1]	
5.3.4	Dibutylethanolamine [102-81-8]	
5.3.5	Diethylethanolamine [100-37-8]	
5.3.6	Ethylethanolamine [110-73-6]	
5.3.7	Lupragen® N 101 – Dimethylethanolamine [108-01-0]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	103.16 g/mol	H226; H302; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.886 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	159 °C			
m.p.	-35 °C			
M	161.24 g/mol	H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.9689 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	264 °C			
m.p.	-45 °C			
M	117.19 g/mol	H302; H315; H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.89 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	199 °C			
m.p.	-2.1 °C			
M	173.30 g/mol	H302; H314; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.86 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	227 °C			
m.p.	< -70 °C			
M	117.19 g/mol	H226; H302; H311; H314; H331; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.88 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	162.36 °C			
m.p.	< -70 °C			
M	89.14 g/mol	H302; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.914 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	168 °C			
m.p.	-5.8 °C			
M	89.14 g/mol	H226; H302; H312; H314; H331; H335 Danger		TSCA; IECSC; ENCS/IS
d	0.887 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	134.1 °C			
m.p.	-59 °C			

Explanation of symbols

M = Mol. Weight

d = Density






% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

5.3 Alkylamino Alcohols

No.	Product [CAS Registry No.]	Formula
5.3.8	Methyldiethanolamine [105-59-9]	
5.3.9	Methyldiisopropanolamine [4402-30-6]	
5.3.10	N,N-Dimethylethanolamine S [108-01-0]	
5.3.11	N,N-Dimethylisopropanolamine [108-16-7] Remark 1	
5.3.12	N-Methylethanolamine [109-83-1]	

Remarks

1 Also available as 77% aqueous solution on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	119.16 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.04 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	243 °C			
m.p.	-21 °C			
M	147.22 g/mol	H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.954 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	226 – 233 °C			
m.p.	< -32 °C			
M	89.14 g/mol	H226; H302; H312; H314; H331; H335 Danger		TSCA; IECSC; ENCS/IS
d	0.887 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	134.1 °C			
m.p.	-59 °C			
M	103.16 g/mol	H226; H302; H312; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.85 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	126 °C			
m.p.	-85 °C			
M	75.11 g/mol	H302; H312; H314; H335 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	158 – 160 °C			
m.p.	-3 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

5.4 Other Amino Alcohols

No.	Product [CAS Registry No.]	Formula
5.4.1	2-(2-Aminoethoxy)ethanol [929-06-6]	
5.4.2	3-Amino-1-propanol [156-87-6]	
5.4.3	4-(2-Hydroxyethyl)morpholine [622-40-2]	
5.4.4	5-Amino-1-pentanol sol. 50% [2508-29-4]	
5.4.5	Hydroxyethylpiperazine [103-76-4]	
5.4.6	Lupragen® N 107 – Dimethylaminoethoxyethanol [1704-62-7]	
5.4.7	Lupragen® N 400 – Trimethylaminoethylethanolamine [2212-32-0]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	105.14 g/mol	H314		REACH; TSCA; IECSC; ENCS/IS
d	1.06 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 98.0			
b.p.	222.6 °C			
m.p.	-11 °C			
M	75.11 g/mol	H302; H314	 	REACH; TSCA; IECSC; ENCS/IS
d	0.99 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	187.71 °C			
m.p.	11.5 – 12.4 °C			
M	131.17 g/mol	H319		REACH; TSCA; IECSC; ENCS/IS
d	1.06 g/cm ³ (20 °C)	Warning		
% (w/w)	min. 99.0			
b.p.	223 – 225 °C			
m.p.	1 – 2 °C			
M	not available	H302; H314	 	REACH
d	0.9869 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 97.0			
b.p.	100 – 222 °C			
m.p.	-25.6 °C			
M	130.19 g/mol	H315; H318		REACH; TSCA; IECSC; ENCS/IS
d	1.059.8 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 98.5			
b.p.	245.8 °C			
m.p.	-38.5 °C			
M	133.19 g/mol	H314		REACH; TSCA; IECSC; ENCS/IS
d	0.9549 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 98.0			
b.p.	203.5 °C			
m.p.	< -70 °C			
M	146.23 g/mol	H315; H318		REACH; TSCA; IECSC; ENCS/IS
d	0.914 g/cm ³ (15 °C)	Danger		
% (w/w)	min. 98.5			
b.p.	210 °C			
m.p.	< -70 °C			

Explanation of symbols

M = Mol. Weight

d = Density




% (w/w) = Purity/Content




b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

5.4 Other Amino Alcohols

No.	Product [CAS Registry No.]	Formula
5.4.8	N-(2-Aminoethyl)ethanolamine [111-41-1]	 <p>The structure shows a central nitrogen atom bonded to a hydrogen atom, a 2-aminoethyl group (H₂N-CH₂-CH₂-), and a 2-hydroxyethyl group (-CH₂-CH₂-OH).</p>
5.4.9	N-(2-Hydroxyethyl)aniline [122-98-5]	 <p>The structure shows a benzene ring attached to a nitrogen atom, which is also bonded to a hydrogen atom and a 2-hydroxyethyl group (-CH₂-CH₂-OH).</p>
5.4.10	N,N-Di-(2-hydroxyethyl)aniline [120-07-0]	 <p>The structure shows a benzene ring attached to a nitrogen atom, which is also bonded to two 2-hydroxyethyl groups (-CH₂-CH₂-OH).</p>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	104.15 g/mol	H314; H317; H360FD Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.024 g/cm ³ (25 °C)			
% (w/w)	min. 99.5			
b.p.	243.1 °C			
m.p.	< -18 °C			
M	137.18 g/mol	H301; H311; H318; H373 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.0954 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	278 °C			
m.p.	-32 °C			
M	181.23 g/mol	H317; H318; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.1 g/cm ³ (60 °C)			
% (w/w)	min. 95.0			
b.p.	380 °C			
m.p.	57.8 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content








b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.













6 Carboxylic Acids and Derivatives

6.1 Carboxylic Acids

No.	Product [CAS Registry No.]	Formula
6.1.1	2-Ethylhexanoic acid [149-57-5]	
6.1.2	Formic acid 85% [64-18-6] Remark 1	
6.1.3	Formic acid 94% [64-18-6] Remark 2	
6.1.4	Formic acid 99 – 100% [64-18-6] Remark 3	
6.1.5	i-Nonanoic acid [3302-10-1]	
6.1.6	Isononanoic acid C [3302-10-1]	
6.1.7	Propionic acid pure [79-09-4]	

Remarks

- 1 Also available as 99 – 100% and 94% aqueous solutions, also available in feed grade, see also www.formicacid.de
- 2 Also available as 99 – 100% and 85% aqueous solutions, also available in feed grade, see also www.formicacid.de
- 3 Also available as 85% and 94% aqueous solutions, also available in feed grade, see also www.formicacid.de

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	144.21 g/mol	H361d Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.91 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	226 – 229 °C			
m.p.	-59 °C			
M	46.03 g/mol	H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.195 g/cm ³ (20 °C)			
% (w/w)	min. 85.0			
b.p.	107.3 °C			
m.p.	-13 °C			
M	46.03 g/mol	H226; H314 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	1.21 g/cm ³ (20 °C)			
% (w/w)	min. 94.0			
b.p.	103 °C			
m.p.	-2 °C			
M	46.03 g/mol	H226; H314 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	1.2195 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	100.23 °C			
m.p.	4 °C			
M	158.24 g/mol	H302; H315; H318 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.9 g/cm ³ (20 °C)			
% (w/w)	min. 96.0			
b.p.	230 – 240 °C			
m.p.	< -60 °C			
M	158.24 g/mol	H302; H315; H318 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.8996 g/cm ³ (20 °C)			
% (w/w)	min. 96.0			
b.p.	230 – 240 °C			
m.p.	-77 °C			
M	74.08 g/mol	H226; H314 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.992 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	140.7 – 141.6 °C			
m.p.	-20 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content


b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

6.1 Carboxylic Acids

No.	Product [CAS Registry No.]	Formula
6.1.8	Sarcosine sodium 40% sol. [4316-73-8]	 <p>The chemical structure shows a methyl group (represented by a single line) attached to a nitrogen atom (N). The nitrogen atom is also bonded to a hydrogen atom (H). This nitrogen is further bonded to a methylene group (CH₂), which is in turn bonded to a carboxylate group (COO⁻). The carboxylate group consists of a carbon atom double-bonded to an oxygen atom (O) and single-bonded to an oxygen atom with a negative charge (O⁻). To the right of the carboxylate group, the sodium ion (Na⁺) is indicated.</p>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available	H314		REACH; TSCA; IECSC; ENCS/IS
d	1.21 g/cm ³ (20 °C)	Danger		
% (w/w)	39.5 – 40.5			
b.p.	not available			
m.p.	1 – 10 °C			

Explanation of symbols

M = Mol. Weight

d = Density





% (w/w) = Purity/Content






b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

6.2 Derivatives

No.	Product [CAS Registry No.]	Formula
6.2.1	2-Hydroxyethyl carbamate [5395-01-7]	 <chem>OCCOC(=O)N</chem>
6.2.2	Formamide [75-12-7]	 <chem>NC=O</chem>
6.2.3	Isatoic anhydride dry [118-48-9]	 <chem>O=C1OC(=O)Nc2ccccc12</chem>
6.2.4	Methyl formate pure [107-31-3]	 <chem>COC=O</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	105.09 g/mol	H319; H412		REACH; TSCA; IECSC; ENCS/IS
d	1.26 g/cm ³ (20 °C)	Warning		
% (w/w)	min. 97.0			
b.p.	130 – 135 °C (1.33 hPa)			
m.p.	10 – 30 °C			
M	45.04 g/mol	H351; H360D; H373		REACH; TSCA; IECSC; ENCS/IS
d	1.133 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.5			
b.p.	210 °C			
m.p.	2.2 °C			
M	163.13 g/mol	H317; H319		REACH; TSCA; IECSC; ENCS/IS
d	1.52 g/cm ³ (not available)	Warning		
% (w/w)	min. 99.5			
b.p.	not available			
m.p.	210 – 225 °C			
M	60.05 g/mol	H224; H302; H319; H332; H335	 	REACH; TSCA; IECSC; ENCS/IS
d	0.968 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 97.0			
b.p.	32.3 °C			
m.p.	-100.4 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content






b.p. = Boiling Point










m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7 Heterocyclic Compounds

7.1 Carbonates

No.	Product [CAS Registry No.]	Formula
7.1.1	3,4-Dihydro-2H-pyran [110-87-2]	
7.1.2	Carbonate Mix 50	
7.1.3	Carbonate Mix 60	
7.1.4	Ethylene carbonate S® [96-49-1]	
7.1.5	Propylene carbonate S® [108-32-7]	
7.1.6	THF Pharma non-stab. [109-99-9]	
7.1.7	THF Pharma stab. [109-99-9]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	84.12 g/mol	H225; H315; H319; EUH019 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.927 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	87 °C			
m.p.	-70 °C			
M	not available			TSCA; IECSC; ENCS/IS
d	1.27 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	240 – 246 °C			
m.p.	0.4 °C			
M	not available	H319 Warning		TSCA; IECSC; ENCS/IS
d	1.3 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	240 – 246 °C			
m.p.	-10 °C			
M	88.06 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.32 g/cm ³ (39 °C)			
% (w/w)	min. 99.5			
b.p.	246 °C			
m.p.	36 °C			
M	102.09 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.2047 g/cm ³ (20 °C)			
% (w/w)	min. 99.7			
b.p.	240 – 243 °C			
m.p.	-48.8 °C			
M	72.11 g/mol	H225; H302; H319; H335; H336; EUH019 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.887 g/cm ³ (20 °C)			
% (w/w)	min. 99.95			
b.p.	65.5 – 66.5 °C			
m.p.	-108.5 °C			
M	72.11 g/mol	H225; H302; H319; H335; H336; EUH019 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.887 g/cm ³ (20 °C)			
% (w/w)	min. 99.95			
b.p.	65.5 – 66.5 °C			
m.p.	-108.5 °C			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content




b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.1 Carbonates

No.	Product [CAS Registry No.]	Formula
7.1.8	THF Pharma stab. super dry [109-99-9]	
7.1.9	Vinylene carbonate E [872-36-6]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	72.11 g/mol	H225; H302; H319; H335; H336; EUH019 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.887 g/cm ³ (20 °C)			
% (w/w)	min. 99.95			
b.p.	65.5 – 66.5 °C			
m.p.	-108.50 °C			
M	86.05 g/mol	H302; H315; H317; H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.3535 g/cm ³ (25 °C)			
% (w/w)	min. 99.9			
b.p.	162 °C			
m.p.	22 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content








b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.2 Imidazoles and Pyrazoles

No.	Product [CAS Registry No.]	Formula
7.2.1	1,4-Dimethylpyrazole [1072-68-0]	
7.2.2	1-Ethylimidazole [7098-07-9]	
7.2.3	1-Methylimidazole [616-47-7]	
7.2.4	2-Ethyl-4-methylimidazole [931-36-2]	
7.2.5	2-Ethyl-4-methylimidazole dist. [931-36-2]	
7.2.6	2-Ethyl-4-methylimidazole S [931-36-2]	
7.2.7	2-Ethylimidazole ultra pure [1072-62-4]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	96.13 g/mol	H226; H302; H318		REACH; ENCS/IS
d	0.9626 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	150.37 °C			
m.p.	-45.8 °C			
M	96.13 g/mol	H302; H314; H412		REACH
d	0.995 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 98.5			
b.p.	104 °C (35 hPa)			
m.p.	-27 °C			
M	82.11 g/mol	H302; H311; H314		REACH; TSCA; IECSC; ENCS/IS
d	1.03 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	198 °C			
m.p.	-2 °C			
M	110.16 g/mol	H302; H315; H318		REACH; TSCA; IECSC; ENCS/IS
d	0.9715 g/cm ³ (40 °C)	Danger		
% (w/w)	87.0 – 92.0			
b.p.	272.8 °C			
m.p.	36 – 42 °C			
M	110.16 g/mol	H302; H318		REACH; TSCA; IECSC; ENCS/IS
d	0.9715 g/cm ³ (40 °C)	Danger		
% (w/w)	min. 98.0			
b.p.	272.8 °C			
m.p.	36 – 42 °C			
M	not available	H302; H311; H314		TSCA; IECSC; ENCS/IS
d	1.0173 g/cm ³ (20 °C)	Danger		
% (w/w)	83.0 – 87.0			
b.p.	270 – 276 °C			
m.p.	36 – 42 °C			
M	96.13 g/mol	H302; H315; H318		REACH; TSCA; IECSC; ENCS/IS
d	not available	Danger		
% (w/w)	min. 99.0			
b.p.	268 – 270 °C			
m.p.	77 – 78 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content








b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.2 Imidazoles and Pyrazoles

No.	Product [CAS Registry No.]	Formula
7.2.8	2-Methylimidazole flakes [693-98-1]	
7.2.9	2-Methylimidazole pure [693-98-1]	
7.2.10	Imidazole [288-32-4]	
7.2.11	Imidazole aqueous solution 50%	
7.2.12	Lupragen® API – N-(3-Aminopropyl) imidazole [5036-48-6]	
7.2.13	Lupragen® DMI – 1,2-Dimethylimidazole [1739-84-0]	
7.2.14	Lupragen® NMI – N-Methylimidazole [616-47-7]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	82.11 g/mol	H302; H314; H360D Danger		REACH; TSCA; IECSC; ENCS/IS
d	not available			
% (w/w)	min. 98.5			
b.p.	268 °C			
m.p.	136 – 138 °C			
M	82.11 g/mol	H302; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	not available			
% (w/w)	min. 99.7			
b.p.	268 °C			
m.p.	144 – 145 °C			
M	68.08 g/mol	H302; H314; H360D; EUH071 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.0257 g/cm ³ (110 °C)			
% (w/w)	min. 99.5			
b.p.	256 °C			
m.p.	88 – 90 °C			
M	68.08 g/mol	H302; H314; H360; EUH071 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1 g/cm ³ (20 °C)			
% (w/w)	50.0			
b.p.	104 °C			
m.p.	2 °C			
M	125.17 g/mol	H302; H314 Danger		REACH; TSCA; IECSC
d	1.062 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	296 °C			
m.p.	-68 °C			
M	96.13 g/mol	H302; H315; H318; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.99 g/cm ³ (40 °C)			
% (w/w)	min. 96.0			
b.p.	205 °C			
m.p.	20 – 40 °C			
M	82.11 g/mol	H302; H311; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.03 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	198 °C			
m.p.	-2 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.2 Imidazoles and Pyrazoles

No.	Product [CAS Registry No.]	Formula
7.2.15	N-(3-Aminopropyl)imidazole [5036-48-6]	 <p>The chemical structure shows an imidazole ring (a five-membered aromatic heterocycle with two nitrogen atoms) attached at the 1-position to a three-carbon propyl chain. The terminal carbon of the propyl chain is bonded to an amino group (-NH₂).</p> <chem>NCCCN1C=CN=C1</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	125.17 g/mol	H302; H314	The pictogram shows two red diamonds. The left diamond contains a white symbol of a liquid dripping from two test tubes onto a hand and a metal surface, representing the Corrosive (C) hazard. The right diamond contains a white exclamation mark, representing the Irritant (Xi) hazard.	REACH; TSCA; IECSC
d	1.062 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 97.0			
b.p.	296 °C			
m.p.	-68 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content




b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.3 Lactones and Lactams

No.	Product [CAS Registry No.]	Formula
7.3.1	2-Pyrrolidone crude [616-45-5]	
7.3.2	2-Pyrrolidone dist. [616-45-5]	
7.3.3	Cyclohexylpyrrolidone [6837-24-7]	
7.3.4	gamma-Butyrolactone dist. [96-48-0]	
7.3.5	epsilon-Caprolactone [502-44-3]	
7.3.6	N-(2-Hydroxyethyl)-2-pyrrolidone [3445-11-2]	
7.3.7	N-(2-Hydroxyethyl)-2-pyrrolidone 95% [3445-11-2]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	85.11 g/mol	H319		REACH; TSCA; IECSC; ENCS/IS
d	1.1 g/cm ³ (30 °C)	Warning		
% (w/w)	min. 89.0			
b.p.	250 °C			
m.p.	23 °C			
M	85.11 g/mol	H319		REACH; TSCA; IECSC; ENCS/IS
d	1.103 g/cm ³ (30 °C)	Warning		
% (w/w)	min. 99.5			
b.p.	250 °C			
m.p.	25.5 °C			
M	167.25 g/mol	H302; H312; H314	 	REACH; TSCA; IECSC
d	1.03 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	290 – 292 °C			
m.p.	15 °C			
M	86.09 g/mol	H302; H318; H336	 	REACH; TSCA; IECSC; ENCS/IS
d	1.13 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.7			
b.p.	204.6 °C			
m.p.	-43.2 – -42 °C			
M	114.14 g/mol	H319		REACH; TSCA; IECSC; ENCS/IS
d	1.07 g/cm ³ (20 °C)	Warning		
% (w/w)	min. 99.8			
b.p.	241 °C			
m.p.	-2 °C			
M	129.16 g/mol			REACH; TSCA; IECSC
d	1.1448 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	309 °C			
m.p.	26.4 °C			
M	129.16 g/mol			REACH; TSCA; IECSC
d	1.1448 g/cm ³ (20 °C)			
% (w/w)	94.0 – 96.0			
b.p.	309 °C			
m.p.	26.4 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content








b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.3 Lactones and Lactams

No.	Product [CAS Registry No.]	Formula
7.3.8	N-Dodecyl-2-pyrrolidone [2687-96-9]	
7.3.9	N-Ethylpyrrolidone-2 [2687-91-4]	
7.3.10	N-Methylpyrrolidone dist. [872-50-4]	
7.3.11	N-Methylpyrrolidone Life Science [872-50-4]	
7.3.12	N-Octyl-2-pyrrolidone dist. [2687-94-7]	
7.3.13	delta-Valerolactone [542-28-9]	
7.3.14	N-Vinyl-2-pyrrolidone stab. 0.1% NaOH [88-12-0]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	253.43 g/mol	H314; H317; H400; H410 Danger		TSCA; IECSC
d	0.903 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	361 °C			
m.p.	10 °C			
M	113.16 g/mol	H318; H361d Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.9974 g/cm ³ (20 °C)			
% (w/w)	min. 99.4			
b.p.	212.5 °C			
m.p.	< -75 °C			
M	99.13 g/mol	H315; H319; H335; H360D Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.028 g/cm ³ (25 °C)			
% (w/w)	min. 99.8			
b.p.	204.3 °C			
m.p.	-23.6 °C			
M	99.13 g/mol	H315; H319; H335; H360D Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.028 g/cm ³ (25 °C)			
% (w/w)	min. 99.8			
b.p.	204.3 °C			
m.p.	-23.6 °C			
M	197.32 g/mol	H314; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.92 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	306 – 307 °C			
m.p.	-26 °C			
M	100.12 g/mol	H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.107 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	230 °C			
m.p.	-12.5 °C			
M	111.14 g/mol	H302; H311; H318; H331; H335; H351; H373 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.043 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	92 °C (13 hPa)			
m.p.	13 – 14 °C			

Explanation of symbols

M = Mol. Weight

d = Density




% (w/w) = Purity/Content




b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.3 Lactones and Lactams

No.	Product [CAS Registry No.]	Formula
7.3.15	N-Vinyl-2-pyrrolidone stab. 10 ppm Kerobit [88-12-0]	 <chem>C=CN1CC(=O)C1</chem>
7.3.16	N-Vinyl-2-pyrrolidone stab. 100 ppm Kerobit [88-12-0]	 <chem>C=CN1CC(=O)C1</chem>
7.3.17	N-Vinyl-2-pyrrolidone stab. 25 ppm Kerobit [88-12-0]	 <chem>C=CN1CC(=O)C1</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	111.14 g/mol	H302; H311; H318; H331; H335; H351; H373 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.043 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	90 – 92 °C (13 hPa)			
m.p.	13 – 14 °C			
M	111.14 g/mol	H302; H311; H318; H331; H335; H351; H373 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.043 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	90 – 92 °C (13 hPa)			
m.p.	13 – 14 °C			
M	111.14 g/mol	H302; H311; H318; H331; H335; H351; H373 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.043 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	90 – 92 °C (13 hPa)			
m.p.	13 – 14 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point











If not specified, b.p. and m.p. measured at 1013 hPa.

7.4 Morpholines

No.	Product [CAS Registry No.]	Formula
7.4.1	4-(2-Hydroxyethyl)morpholine [622-40-2]	
7.4.2	AMIX M [68909-77-3] Remark 1	
7.4.3	Lupragen® N 105 – N-Methylmorpholine [109-02-4] Remark 2	
7.4.4	Lupragen® N 106 – 2,2'-Dimorpholinodiethylether [6425-39-4]	
7.4.5	Morpholine [110-91-8]	
7.4.6	N-Acetylmorpholine [1696-20-4]	
7.4.7	N-Formylmorpholine [4394-85-8]	

Remarks

- 1 High boiling morpholine derivatives
- 2 Methylmorpholine P is available for pharma applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	131.17 g/mol	H319		REACH; TSCA; IECSC; ENCS/IS
d	1.06 g/cm ³ (20 °C)	Warning		
% (w/w)	min. 99.0			
b.p.	223 – 225 °C			
m.p.	1 – 2 °C			
M	not available	H315; H317; H318	 	REACH; TSCA; IECSC
d	1.0993 g/cm ³ (20 °C)	Danger		
% (w/w)	not available			
b.p.	266 – 330 °C			
m.p.	-65 °C			
M	101.15 g/mol	H225; H312; H314	 	REACH; TSCA; IECSC; ENCS/IS
d	0.82 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	115 °C			
m.p.	-65 °C			
M	244.33 g/mol	H315; H319		REACH; TSCA; IECSC; ENCS/IS
d	1.0603 g/cm ³ (20 °C)	Warning		
% (w/w)	min. 99.0			
b.p.	309 °C			
m.p.	-28 °C			
M	87.12 g/mol	H226; H302; H311; H314; H332	 	REACH; TSCA; IECSC; ENCS/IS
d	1.00 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	128 – 130 °C			
m.p.	-5 °C			
M	129.16 g/mol			REACH; TSCA; IECSC
d	1.115 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	244.7 °C			
m.p.	14 °C			
M	115.13 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	1.1429 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	244 °C			
m.p.	23 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point
















If not specified, b.p. and m.p. measured at 1013 hPa.

7.5 Other Heterocycles

No.	Product [CAS Registry No.]	Formula
7.5.1	1,4-Dioxan stab. ultra pure [123-91-1] Remark 1	
7.5.2	1,4-Dioxane [123-91-1]	
7.5.3	1,4-Dioxane stab. [123-91-1]	
7.5.4	Lupragen® N 201 – Triethylenediamine in dipropylene glycol [280-57-9] Remark 2	
7.5.5	Lupragen® N 203 – Triethylenediamine in monoethyleneglycol [280-57-9] Remark 2	
7.5.6	Lupragen® N 700 – 1,8-Diazabicyclo-5,4,0-undecene-7 [6674-22-2] Remark 3	

Remarks

- 1 Only upon request
- 2 Exclusively marketed by Evonik Industries AG
- 3 Diazabicycloundecene P is available for pharma applications

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	88.1 g/mol	H225; H319; H335; H351 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	1.034 g/cm ³ (20 °C)			
% (w/w)	min. 99.9			
b.p.	100 – 102.5 °C			
m.p.	11 °C			
M	88.1 g/mol	H225; H319; H335; H351; EUH019 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	1.0300 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	100 – 102.5 °C			
m.p.	12 °C			
M	88.1 g/mol	H225; H319; H335; H351; EUH019 Danger	  	REACH; TSCA; IECSC; ENCS/IS
d	1.034 g/cm ³ (20 °C)			
% (w/w)	min. 99.8			
b.p.	100 – 102.5 °C			
m.p.	11 °C			
M	not available	H302; H315; H318 Danger	 	TSCA; IECSC; ENCS/IS
d	1.025 g/cm ³ (20 °C)			
% (w/w)	33.1 – 33.5			
b.p.	not available			
m.p.	-39 °C			
M	not available	H302; H315; H318; H335 Danger	 	TSCA; IECSC; ENCS/IS
d	1.09 g/cm ³ (25 °C)			
% (w/w)	33.1 – 33.5			
b.p.	196 °C			
m.p.	-67 °C			
M	152.24 g/mol	H302; H314; H412 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	1.019 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	261.86 °C			
m.p.	-70 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content


b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.6 Oxiranes

No.	Product [CAS Registry No.]	Formula
7.6.1	Isobutyleneoxide [558-30-5]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	72.11 g/mol	H225; H314		REACH; TSCA; IECSC; ENCS/IS
d	0.81 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	51 °C			
m.p.	not available			

Explanation of symbols

M = Mol. Weight

d = Density





% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.7 Piperazines

No.	Product [CAS Registry No.]	Formula
7.7.1	Hydroxyethylpiperazine [103-76-4]	
7.7.2	N-Ethylpiperazine [5308-25-8]	
7.7.3	N-Methylpiperazine [109-01-3]	
7.7.4	Piperazine [110-85-0] Remark 1	

Remarks

1 Available as chips or 68% aqueous solution

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	130.19 g/mol	H315; H318		REACH; TSCA; IECSC; ENCS/IS
d	1.059.8 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 98.5			
b.p.	245.8 °C			
m.p.	-38.5 °C			
M	114.19 g/mol	H226; H302; H314		REACH
d	0.895 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	155 °C			
m.p.	< -60 °C			
M	100.16 g/mol	H226; H312; H314		REACH; TSCA; IECSC; ENCS/IS
d	0.903 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	136.66 °C			
m.p.	-5.57 °C			
M	86.14 g/mol	H228; H314; H317; H334; H361fd		REACH; TSCA; IECSC; ENCS/IS
d	not available	Danger		
% (w/w)	min. 99.9			
b.p.	147.7 °C			
m.p.	107 – 111 °C			

Explanation of symbols

M = Mol. Weight

d = Density




% (w/w) = Purity/Content




b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.8 Piperidines

No.	Product [CAS Registry No.]	Formula
7.8.1	N-Ethylpiperidine [766-09-6]	
7.8.2	N-Methylpiperidine 80% calc. 100% [626-67-5]	
7.8.3	Piperidine [110-89-4]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	113.20 g/mol	H225; H301; H314; H331; H412 Danger		REACH; TSCA; IECSC
d	0.82 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	131 °C			
m.p.	< -50 °C			
M	99.18 g/mol	H225; H302; H314; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.87 g/cm ³ (20 °C)			
% (w/w)	77.0 – 83.0			
b.p.	106.56 °C			
m.p.	-103.23 °C			
M	85.15 g/mol	H225; H311; H314; H331 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.861 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	106 – 107 °C			
m.p.	-11.5 °C			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content



b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.9 Pyrrolidines

No.	Product [CAS Registry No.]	Formula
7.9.1	N-Methylpyrrolidine [120-94-5]	 <chem>CN1CCCC1</chem>
7.9.2	Pyrrolidine pure [123-75-1]	 <chem>C1CCNC1</chem>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	85.15 g/mol	H225; H301; H314; H332; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.80 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	78 – 82 °C			
m.p.	< -80 °C			
M	71.12 g/mol	H225; H302; H314; H332 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.866 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	86 – 88 °C			
m.p.	< -60 °C			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content



b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

7.10 Tetrahydropyrans

No.	Product [CAS Registry No.]	Formula
7.10.1	4-Formyltetrahydropyran [50675-18-8]	
7.10.2	Tetrahydropyran-4-carboxylic acid methylester [110238-91-0]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	114.14 g/mol	H317; H319 Warning		REACH; ENCS/IS
d	1.046 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	184.3 °C			
m.p.	-67 °C			
M	144.17 g/mol	H319; H412 Warning		REACH
d	1.08 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	196.8 °C			
m.p.	-33.0 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content





b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.








8 Optically Active Compounds

8.1 Chiral Alcohols and Epoxides

No.	Product [CAS Registry No.]	Formula
8.1.1	ChiPros® (R)-1-(3,5-Ditrifluoromethyl)phenylethanol [127852-28-2]	
8.1.2	ChiPros® (S)-1-(3,5-Ditrifluoromethyl)phenylethanol [225920-05-8] Remark 1	
8.1.3	ChiPros® (S)-2-Pentanol [26184-62-3] Remark 1	
8.1.4	ChiPros® (S)-Butan-2-ol [4221-99-2]	

Remarks

1 Developmental products, material available on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	258.16 g/mol	H302; H319; H400; H410 Warning	 	
d	not available			
% (w/w)	not available			
b.p.	115 °C (2 – 5 hPa)			
m.p.	59 °C			
M	258.16 g/mol			
d	not available			
% (w/w)	not available			
b.p.	not available			
m.p.	not available			
M	88.15 g/mol	H226; H315; H318; H332; H335 Danger	  	
d	not available			
% (w/w)	not available			
b.p.	not available			
m.p.	not available			
M	74.12 g/mol	H226; H319; H335; H336 Warning	 	REACH; IECSC; ENCS/IS
d	0.80 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	99 – 100 °C			
m.p.	-114.7 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point




If not specified, b.p. and m.p. measured at 1013 hPa.

8.2 Chiral Amines

No.	Product [CAS Registry No.]	Formula
8.2.1	1-Phenylethylamine [618-36-0] Remark 1	
8.2.2	ChiPros® (1R, 2R)-trans-2-Amino cyclopentanol hydrochloride [68327-11-7]	
8.2.3	ChiPros® (1R-trans)-2-(Phenyl methoxy) cyclohexanamine [216394-06-8]	
8.2.4	ChiPros® (1S, 2S)-trans-2- Benzyloxycyclohexylamine [216394-07-9] Remark 2	
8.2.5	ChiPros® (R)-1-(1-Naphthyl)ethylamine [3886-70-2]	
8.2.6	ChiPros® (R)-1-(2-Methoxyphenyl) ethylamine [68285-23-4] Remark 2	
8.2.7	ChiPros® (R)-1-(2-Naphthyl)ethylamine [3906-16-9] Remark 2	

Remarks

- 1 Also available in enantiomerically pure form
- 2 Developmental products, material available on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	121.18 g/mol	H302; H311; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	187 °C			
m.p.	-65 °C			
M	137.62 g/mol			
d	not available			
% (w/w)	min. 99.0			
b.p.	not available			
m.p.	158 – 160 °C			
M	205.30 g/mol	H302; H314; H411 Danger		
d	1.001 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	79 – 80 °C (0.1 hPa)			
m.p.	21 °C			
M	205.3 g/mol			
d	not available			
% (w/w)	min. 98.0			
b.p.	79 – 80 °C (0.1 hPa)			
m.p.	not available			
M	171.24 g/mol	H301; H312; H314; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.06 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	93 °C (0.4 hPa)			
m.p.	not available			
M	151.2 g/mol			
d	not available			
% (w/w)	min. 99.0			
b.p.	118 °C (23 hPa)			
m.p.	not available			
M	171.2 g/mol			
d	not available			
% (w/w)	min. 99.0			
b.p.	69 – 97 °C (0.2 hPa)			
m.p.	not available			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point






If not specified, b.p. and m.p. measured at 1013 hPa.

8.2 Chiral Amines

No.	Product [CAS Registry No.]	Formula
8.2.8	ChiPros® (R)-1-(3-Methoxyphenyl) ethylamine [88196-70-7]	
8.2.9	ChiPros® (R)-1-(4-Chlorophenyl)ethylamine [6299-02-1] Remark 1	
8.2.10	ChiPros® (R)-1-(4-Fluorophenyl)ethylamine [374898-01-8]	
8.2.11	ChiPros® (R)-1-(4-Methoxyphenyl) ethylamine [22038-86-4]	
8.2.12	ChiPros® (R)-1-(4-Methylphenyl) ethylamine [4187-38-6]	
8.2.13	ChiPros® (R)-1-Aminoindane [10277-74-4] Remark 1	
8.2.14	ChiPros® (R)-1-Aminotetraline [23357-46-2]	

Remarks

1 Developmental products, material available on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	151.21 g/mol	H302; H314; H332; H412 Danger		
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	240 °C			
m.p.	5.4 °C			
M	155.6 g/mol			
d	not available			
% (w/w)	min. 96.0			
b.p.	232 °C			
m.p.	not available			
M	139.17 g/mol	H302; H315; H318; H411 Danger		
d	1.03 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	76 °C (29 hPa)			
m.p.	-30 °C			
M	151.21 g/mol	H302; H312; H314 Danger		REACH
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	65 °C (0.5 hPa)			
m.p.	< -20 °C			
M	135.21 g/mol	H302; H312; H314; H317 Danger		
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 96.0			
b.p.	204 °C			
m.p.	< -20 °C			
M	133.2 g/mol			
d	1.098 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	69 – 97 °C (11 hPa)			
m.p.	not available			
M	147.22 g/mol	H302; H315; H412 Warning		
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	118 – 120 °C (10 hPa)			
m.p.	< -20 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

8.2 Chiral Amines

No.	Product [CAS Registry No.]	Formula
8.2.15	ChiPros® (R)-1-Cyclohexylethylamine [5913-13-3]	
8.2.16	ChiPros® (R)-1-Cyclopropylethylamine [6240-96-6] Remark 1	
8.2.17	ChiPros® (R)-1-Phenylethylamine [3886-69-9]	
8.2.18	ChiPros® (R)-1-Phenylpropylamine [3082-64-2]	
8.2.19	ChiPros® (R)-2-Aminobutane [13250-12-9]	
8.2.20	ChiPros® (R)-2-Hexylamine [70095-40-8] Remark 1	
8.2.21	ChiPros® (R)-3-Aminobutan-1-ol [61477-40-5]	

Remarks

1 Developmental products, material available on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	127.23 g/mol	H226; H302; H311; H314; H411 Danger		REACH
d	0.85 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	175 °C			
m.p.	< -20 °C			
M	85.15 g/mol			
d	0.7991 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	95 – 98 °C			
m.p.	-68 °C			
M	121.18 g/mol	H302; H311; H314 Danger		REACH; TSCA; IECSC; ENCs/IS
d	0.9491 g/cm ³ (25 °C)			
% (w/w)	min. 99.0			
b.p.	187 °C			
m.p.	-10 °C			
M	135.21 g/mol	H301; H314; H373; H411 Danger		
d	0.93 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	205 °C			
m.p.	-69 °C			
M	73.14 g/mol	H225; H302; H314; H332; H400 Danger		REACH; ENCs/IS
d	0.723 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	63 – 65 °C			
m.p.	< -100 °C			
M	101.2 g/mol			
d	not available			
% (w/w)	min. 99.0			
b.p.	116 °C			
m.p.	not available			
M	89.14 g/mol	H302; H314 Danger		
d	0.9459 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	90 °C (20 hPa)			
m.p.	< -30 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

8.2 Chiral Amines

No.	Product [CAS Registry No.]	Formula
8.2.22	ChiPros® (R)-3-Methyl-2-butylamine [34701-33-2] Remark 1	
8.2.23	ChiPros® (R)-N-Benzyl-1-phenylethylamine [38235-77-7]	
8.2.24	ChiPros® (S)-1-(1-Naphthyl)ethylamine [10420-89-0]	
8.2.25	ChiPros® (S)-1-(2-Naphthyl)ethylamine [3082-62-0]	
8.2.26	ChiPros® (S)-1-(3-Methoxyphenyl)ethylamine [82796-69-8]	
8.2.27	ChiPros® (S)-1-(4-Chlorophenyl)ethylamine [6299-02-1] Remark 1	
8.2.28	ChiPros® (S)-1-(4-Fluorophenyl)ethylamine [66399-30-2]	

Remarks

1 Developmental products, material available on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	87.2 g/mol	H225; H301; H315; H318; H411 Danger		
d	not available			
% (w/w)	min. 99.0			
b.p.	84 – 87 °C			
m.p.	not available			
M	211.31 g/mol	H302; H315 Warning		REACH
d	1.01 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	155 °C (75 hPa)			
m.p.	not available			
M	171.24 g/mol	H301; H314; H411 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.06 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	93 °C (0.4 hPa)			
m.p.	not available			
M	171.24 g/mol	H315; H319; H411 Warning		REACH; ENCS/IS
d	not available			
% (w/w)	min. 99.0			
b.p.	90 °C (0.2 hPa)			
m.p.	52 °C			
M	151.21 g/mol	H302; H314; H317; H332; H412 Danger		
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	240 °C			
m.p.	5.4 °C			
M	155.6 g/mol			
d	not available			
% (w/w)	min. 96.0			
b.p.	232 °C			
m.p.	not available			
M	139.17 g/mol	H302; H315; H318; H411 Danger		
d	1.03 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	76 °C (29 hPa)			
m.p.	-30 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

8.2 Chiral Amines

No.	Product [CAS Registry No.]	Formula
8.2.29	ChiPros® (S)-1-(4-Methoxyphenyl) ethylamine [41851-59-6]	
8.2.30	ChiPros® (S)-1-(4-Methylphenyl) ethylamine [27298-98-2]	
8.2.31	ChiPros® (S)-1-Aminoindane [61341-86-4] Remark 1	
8.2.32	ChiPros® (S)-1-Aminotetraline [23357-52-0]	
8.2.33	ChiPros® (S)-1-Cyclohexylethylamine [17430-98-7]	
8.2.34	ChiPros® (S)-1-Cyclopropylethylamine [195604-39-8]	
8.2.35	ChiPros® (S)-1-Phenylethylamine [2627-86-3]	

Remarks

1 Developmental products, material available on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	151.21 g/mol	H302; H312; H314 Danger		
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	65 °C (0.5 hPa)			
m.p.	< -20 °C			
M	135.21 g/mol	H302; H312; H314 Danger		
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 96.0			
b.p.	77 °C (15 hPa)			
m.p.	< -20 °C			
M	133.2 g/mol			
d	1.098 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	69 – 97 °C (11 hPa)			
m.p.	not available			
M	147.22 g/mol	H302; H314; H332; H411 Danger		
d	1.02 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	250 °C			
m.p.	< -20 °C			
M	127.23 g/mol	H226; H302; H311; H314 Danger		
d	0.875 g/cm ³ (15 °C)			
% (w/w)	min. 98.0			
b.p.	175 °C			
m.p.	not available			
M	85.15 g/mol			
d	0.7991 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	95 – 98 °C			
m.p.	-68 °C			
M	121.18 g/mol	H302; H311; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	187 °C			
m.p.	-10 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

8.2 Chiral Amines

No.	Product [CAS Registry No.]	Formula
8.2.36	ChiPros® (S)-1-Phenylpropylamine [3789-59-1]	
8.2.37	ChiPros® (S)-2-Hexylamine [70492-67-0] Remark 1	
8.2.38	ChiPros® (S)-3,3-Dimethyl-2-aminobutane [22526-47-2]	
8.2.39	ChiPros® (S)-3-Methyl-2-butylamine [22526-46-1] Remark 1	
8.2.40	ChiPros® (S)-Methoxyisopropylamine [99636-32-5]	
8.2.41	ChiPros® (S)-N-Benzyl-1-phenylethylamine [17480-69-2]	
8.2.42	ChiPros® Clophar [27298-99-3]	

Remarks

1 Developmental products, material available on request

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	135.21 g/mol	H302; H314; H373; H411 Danger		REACH
d	0.93 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	205 °C			
m.p.	-69 °C			
M	101.2 g/mol			
d	not available			
% (w/w)	min. 99.0			
b.p.	116 °C			
m.p.	not available			
M	101.19 g/mol	H225; H302; H314; H412 Danger		ENCS/IS
d	0.7551 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	103 °C			
m.p.	-4 °C			
M	87.2 g/mol			
d	not available			
% (w/w)	min. 99.0			
b.p.	84 – 87 °C			
m.p.	not available			
M	89.14 g/mol	H225; H302; H314; H412 Danger		REACH; TSCA; IECSC
d	0.8434 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	92 – 94 °C			
m.p.	not available			
M	not available	H302; H315 Warning		
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	82 – 85 °C (0.4 hPa)			
m.p.	not available			
M	155.63 g/mol	H302; H315; H317; H318; H411 Danger		REACH
d	1.115 g/cm ³ (15 °C)			
% (w/w)	min. 99.0			
b.p.	232 °C			
m.p.	not available			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content


b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

8.2 Chiral Amines

No.	Product [CAS Registry No.]	Formula
8.2.43	ChiPros® Clophas [4187-56-8]	 <p>The chemical structure shows a benzene ring with a chlorine atom at the para position (bottom-left) and a 1-aminopropyl group at the other para position (top-right). The amino group is attached to the chiral carbon of the propyl chain, which is also bonded to a methyl group and a hydrogen atom. The stereochemistry at the chiral center is (S), indicated by a wedge bond to the amino group.</p>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	155.63 g/mol	H302; H315; H317; H318; H330; H411 Danger		REACH
d	1.115 g/cm ³ (15 °C)			
% (w/w)	min. 95.0			
b.p.	232 °C			
m.p.	not available			

Explanation of symbols

M = Mol. Weight

d = Density




% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

8.3 Chiral Carboxylic Acids and Derivatives

No.	Product [CAS Registry No.]	Formula
8.3.1	ChiPros® (R)-2-Chloromandelic acid [52950-18-2]	
8.3.2	ChiPros® (R)-Isobutyl lactate raw (D-LIB) [61597-96-4]	
8.3.3	ChiPros® (R)-Mandelic acid [611-71-2]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	186.59 g/mol	H317; H318		REACH
d	1.48 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	not available			
m.p.	121 – 123 °C			
M	146.19 g/mol	H319		REACH; IECSC
d	0.97 g/cm ³ (20 °C)	Warning		
% (w/w)	85.0 – 90.0			
b.p.	178 °C			
m.p.	-4.5 °C			
M	152.15 g/mol	H318		REACH; TSCA; IECSC; ENCS/IS
d	not available	Danger		
% (w/w)	min. 99.0			
b.p.	249.17 °C			
m.p.	131 – 135 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content








b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9 Others

9.1 Amides

No.	Product [CAS Registry No.]	Formula
9.1.1	3-Amino-2,2-dimethylpropionic acid amide [324763-51-1]	
9.1.2	Anthranilic acid amide dry [88-68-6]	
9.1.3	Dimethylformamide [68-12-2] Remark 1	
9.1.4	N,N-Dimethylacetamide [127-19-5] Remark 2	
9.1.5	N-Acetylmorpholine [1696-20-4]	
9.1.6	N-Formylmorpholine [4394-85-8]	
9.1.7	N-Methylacetamide [79-16-3]	

Remarks

- 1 Also available as high purity special grade
- 2 Also available as electronic grade

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	116.16 g/mol	H318		REACH
d	not available	Danger		
% (w/w)	min. 99.0			
b.p.	not available			
m.p.	82.6 °C			
M	136.15 g/mol	H318		REACH; TSCA; IECSC
d	not available	Danger		
% (w/w)	min. 99.0			
b.p.	not available			
m.p.	107 – 111 °C			
M	73.09 g/mol	H226; H312; H319; H332; H360D		REACH; TSCA; IECSC; ENCs/IS
d	0.94 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.9			
b.p.	152 – 153 °C			
m.p.	-61 °C			
M	87.12 g/mol	H312; H319; H332; H360D		REACH; TSCA; IECSC; ENCs/IS
d	0.94 g/cm ³ (20 °C)	Danger		
% (w/w)	min. 99.8			
b.p.	165 – 166 °C			
m.p.	-20 °C			
M	129.16 g/mol			REACH; TSCA; IECSC
d	1.115 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	244.7 °C			
m.p.	14 °C			
M	115.13 g/mol			REACH; TSCA; IECSC; ENCs/IS
d	1.1429 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	244 °C			
m.p.	23 °C			
M	73.09 g/mol	H360		REACH; TSCA; IECSC; ENCs/IS
d	0.946 g/cm ³ (35 °C)	Danger		
% (w/w)	min. 99.0			
b.p.	206 – 208 °C			
m.p.	29 – 30 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content


b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.2 Hydrocarbons

No.	Product [CAS Registry No.]	Formula
9.2.1	Cyclododecatriene [4904-61-4]	 The image shows the skeletal structure of cyclododecatriene, a 12-membered ring hydrocarbon with three double bonds. The ring is drawn in a cross-like shape with three double bonds positioned at the top, bottom-left, and bottom-right vertices.

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 162.27 g/mol d 0.892 g/cm ³ (20 °C) % (w/w) min. 99.0 b.p. 238 – 242 °C m.p. -17 °C	H304; H400; H410 Danger		REACH; TSCA; IECSC; ENCS/IS

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content


b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.3 Imines

No.	Product [CAS Registry No.]	Formula
9.3.1	Benzophenonimine techn. [1013-88-3]	 <p>The chemical structure shows two benzene rings connected by a double bond to a nitrogen atom. The nitrogen atom is also bonded to a hydrogen atom, forming an imine group. The structure is represented as <chem>C1=CC=CC=C1C(=N)C2=CC=CC=C2</chem>.</p>

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 181.24 g/mol d 1.08 g/cm ³ (20 °C) % (w/w) min. 93.0 b.p. 216 °C (100 hPa) m.p. -30 °C	H315; H319; H411 Warning		REACH

Explanation of symbols

M = Mol. Weight

d = Density





% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point










If not specified, b.p. and m.p. measured at 1013 hPa.

9.4 Ionic Liquids

No.	Product [CAS Registry No.]	Formula
9.4.1	1-Ethyl-3-methyl imidazolium methylcarbonate in methanol [251102-25-7] Remark 1	
9.4.2	Basionics™ AL 01 – EMIM Cl : AlCl3 = 1 : 1.5 Remark 1	
9.4.3	Basionics™ BC 01 [143314-17-4]	
9.4.4	Basionics™ EE 03 [143314-16-3]	
9.4.5	Basionics™ FS 01 Quart. ammonium salt	
9.4.6	Basionics™ FS 13 [75-05-8]	

Remarks

1 Quantities up to 20 kg only available from SIGMA-ALDRICH

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	186.21 g/mol	H225; H301; H311; H315; H331; H370 Danger	  	REACH
d	0.9066 g/cm ³ (20 °C)			
% (w/w)	ca. 30% in MeOH			
b.p.	not applicable			
m.p.	-20 °C			
M	not available	H302; H314 Danger	 	TSCA; IECSC
d	1.350 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	not applicable			
m.p.	-16 °C			
M	170.22 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	1.027 g/cm ³ (25 °C)			
% (w/w)	min. 98.0			
b.p.	not applicable			
m.p.	< -20 °C			
M	197.97 g/mol	H302; H411 Warning	 	IECSC; ENCS/IS
d	1.2695 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	not applicable			
m.p.	-65 °C			
M	not available			REACH; TSCA; IECSC; ENCS/IS
d	1.32 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	not applicable			
m.p.	-20 °C			
M	193.21 g/mol	H318; H302; H317 Danger	 	
d	1.1863 g/cm ³ (25 °C)			
% (w/w)	min. 97.0			
b.p.	not applicable			
m.p.	-74 °C			

Explanation of symbols

M = Mol. Weight

d = Density






% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point


If not specified, b.p. and m.p. measured at 1013 hPa.

9.4 Ionic Liquids

No.	Product [CAS Registry No.]	Formula
9.4.7	Basionics™ HP 01 [174899-82-2] Remark 1	
9.4.8	Basionics™ LQ 01 [342573-75-5]	
9.4.9	Basionics™ LQ 11 [848641-69-0] Remark 1	
9.4.10	Basionics™ OH 01 [250358-46-4] Remark 2	
9.4.11	Basionics™ ST 35 [145022-45-3]	

Remarks

- Quantities up to 20 kg only available from SIGMA-ALDRICH
- 10% in water

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 391.3 g/mol d 1.5236 g/cm ³ (20 °C) % (w/w) min. 98.0 b.p. not applicable m.p. -9 °C	H301; H311; H314; H373; H411; EUH071 Danger		REACH; ENCS/IS
M 236.3 g/mol d 1.2391 g/cm ³ (20 °C) % (w/w) min. 98.0 b.p. not applicable m.p. < -30 °C			REACH; TSCA; IECSC; ENCS/IS
M 264.26 g/mol d 1.146 g/cm ³ (25 °C) % (w/w) min. 98.0 b.p. not applicable m.p. 10 °C			ENCS/IS
M 128.2 g/mol d 1.002 g/cm ³ (20 °C) % (w/w) ~10.0 (in water) b.p. not applicable m.p. -7 °C			
M 206.27 g/mol d 1.247 g/cm ³ (25 °C) % (w/w) min. 97.0 b.p. not applicable m.p. 35 °C			ENCS/IS

Explanation of symbols

M = Mol. Weight

d = Density






% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point












If not specified, b.p. and m.p. measured at 1013 hPa.

9.4 Ionic Liquids

No.	Product [CAS Registry No.]	Formula
9.4.12	Basionics™ ST 70 [79917-90-1] Remark 1	
9.4.13	Basionics™ ST 80 [65039-09-0] Remark 1	
9.4.14	Basionics™ UV 33 [917956-73-1]	
9.4.15	Basionics™ UV 43 Quart. ammonium salt	
9.4.16	Basionics™ VS 01 [331717-63-6]	
9.4.17	Basionics™ VS 03 [370865-89-7]	

Remarks

1 Quantities up to 20 kg only available from SIGMA-ALDRICH

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available	H301; H315; H319; H411 Danger	 	REACH
d	1.086 g/cm ³ (20 °C)			
% (w/w)	min. 95.0			
b.p.	not applicable			
m.p.	70 °C			
M	146.64 g/mol	H302; H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.112 g/cm ³ (25 °C)			
% (w/w)	min. 95.0			
b.p.	not applicable			
m.p.	87.5 °C			
M	not available	H318; H315; H302; H317; H411; H335 Danger	  	
d	1.1091 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	not applicable			
m.p.	-90 °C			
M	not available	H318; H315; H302; H317; H335 Danger	 	
d	0.9334 g/cm ³ (100 °C)			
% (w/w)	min. 98.0			
b.p.	not applicable			
m.p.	82 °C			
M	169.25 g/mol	H312; H332; H412 Warning		ENCS/IS
d	1.1140 g/cm ³ (25 °C)			
% (w/w)	min. 98.0			
b.p.	not applicable			
m.p.	< -24 °C			
M	177.21 g/mol	H302; H317; H318 Danger	 	REACH
d	1.1 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	not applicable			
m.p.	-11 °C			

Explanation of symbols

M = Mol. Weight

d = Density


% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.4 Ionic Liquids

No.	Product [CAS Registry No.]	Formula
9.4.18	Basionics™ VS 11 [145022-44-2] Remark 1	

Remarks

1 Quantities up to 20 kg only available from SIGMA-ALDRICH

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 260.14 g/mol d 1.379 g/cm ³ (25 °C) % (w/w) min. 98.0 b.p. not applicable m.p. -13 °C			ENCS/IS

Explanation of symbols

M = Mol. Weight

d = Density




% (w/w) = Purity/Content




b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.5 Nitriles

No.	Product [CAS Registry No.]	Formula
9.5.1	Baxxodur® PC 136 [93940-97-7]	
9.5.2	o-Phthalodinitrile [91-15-6]	
9.5.3	Suberonitrile [629-40-3]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	276.4 g/mol	H302; H317; H412 Warning		REACH; TSCA; IECSC
d	0.9878 g/cm ³ (20 °C)			
% (w/w)	min. 95.0			
b.p.	> 200 °C			
m.p.	< -20 °C			
M	128.13 g/mol	H301; H311; H331; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.24 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	304.5 °C			
m.p.	141 – 142 °C			
M	136.20 g/mol	H302 Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.942 g/cm ³ (20 °C)			
% (w/w)	min. 97.0			
b.p.	325 °C			
m.p.	-4 °C			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content





b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.6 Phosphorus Compounds

No.	Product [CAS Registry No.]	Formula
9.6.1	Triphenyl phosphine molten [603-35-0]	 <p>The chemical structure shows a central phosphorus atom (P) bonded to three phenyl rings. One phenyl ring is positioned vertically above the phosphorus atom, while the other two are positioned to the left and right, respectively.</p>
9.6.2	Triphenyl phosphine pellets [603-35-0]	 <p>The chemical structure is identical to the one above, showing a central phosphorus atom (P) bonded to three phenyl rings in a vertical-top, left, and right arrangement.</p>

Physical Data	H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M 262.29 g/mol d 1.194 g/cm ³ (20 °C) % (w/w) min. 99.5 b.p. 195 – 205 °C (7 hPa) m.p. 79 – 81 °C	H302; H317; H373 Warning	 	REACH; TSCA; IECSC; ENCS/IS
M 262.29 g/mol d 1.194 g/cm ³ (20 °C) % (w/w) min. 99.5 b.p. 195 – 205 °C (7 hPa) m.p. 81.3 – 81.6 °C	H302; H317; H373 Warning	 	REACH; TSCA; IECSC; ENCS/IS

Explanation of symbols

M = Mol. Weight

d = Density





% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point





If not specified, b.p. and m.p. measured at 1013 hPa.

9.7 Urea Derivatives

No.	Product [CAS Registry No.]	Formula
9.7.1	Ethylene urea [120-93-4] Remark 1	
9.7.2	N-(2-Hydroxyethyl)ethylene urea [3699-54-5] Remark 2	
9.7.3	N,N'-Dimethyl propylene urea [7226-23-5]	
9.7.4	N,N'-Dimethyl urea [96-31-1]	

Remarks

- 1 Available in crystalline form and as 30% aqueous solution
- 2 Also available as 75% aqueous solution

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	86.09 g/mol	H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	not available			
% (w/w)	87.0 – 90.0			
b.p.	132.6 °C			
m.p.	68.2 °C			
M	130.15 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	1.203 g/cm ³ (70 °C)			
% (w/w)	min. 98.0			
b.p.	> 280 °C			
m.p.	54 °C			
M	128.17 g/mol	H302; H315; H318; H361f Danger	  	REACH; ENCS/IS
d	1.064 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	246.5 °C			
m.p.	-14 °C			
M	88.11 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	1.14 g/cm ³ (20 °C)			
% (w/w)	min. 96.5			
b.p.	260 °C			
m.p.	106 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.8 Vinyl Compounds and Ethers

No.	Product [CAS Registry No.]	Formula
9.8.1	1,3-Divinylimidazolidin-2-one [13811-50-2]	
9.8.2	1-Vinylimidazole [1072-63-5]	
9.8.3	2-Ethylhexyl vinyl ether [103-44-6]	
9.8.4	3,4-Dihydro-2H-pyran [110-87-2]	
9.8.5	Butanediol divinyl ether [3891-33-6]	
9.8.6	Cyclohexyl vinyl ether [2182-55-0]	
9.8.7	Diethyleneglycol divinyl ether [764-99-8]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	138.17 g/mol			REACH; IECSC
d	1.02 g/cm ³ (90 °C)			
% (w/w)	min. 99.0			
b.p.	108 °C (4 hPa)			
m.p.	65 – 67 °C			
M	94.12 g/mol	H302; H318 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.039 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	192 °C			
m.p.	< -50 °C			
M	156.27 g/mol	H226; H302; H315; H319; H411 Warning		REACH; ENCS/IS
d	0.809 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	177 °C			
m.p.	-100 °C			
M	84.12 g/mol	H225; H315; H319; EUH019 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.927 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	87 °C			
m.p.	-70 °C			
M	142.20 g/mol	H226; H412 Warning		REACH; TSCA; IECSC
d	0.898 g/cm ³ (20 °C)			
% (w/w)	min. 95.0			
b.p.	166 °C			
m.p.	-8 °C			
M	126.20 g/mol	H226; H315; H412 Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.891 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	150 – 152 °C			
m.p.	-109 °C			
M	158.20 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	0.968 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	191 °C			
m.p.	-21 °C			

Explanation of symbols

M = Mol. Weight

d = Density








% (w/w) = Purity/Content










b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.8 Vinyl Compounds and Ethers

No.	Product [CAS Registry No.]	Formula
9.8.8	Dodecyl vinyl ether [765-14-0]	
9.8.9	Ethylvinylether stab. 0.01% KOH [109-92-2]	
9.8.10	Ethylvinylether stab. 0.1% DEA [109-92-2]	
9.8.11	Ethylvinylether stab. 0.1% KOH [109-92-2]	
9.8.12	Hydroxybutyl vinyl ether [17832-28-9]	
9.8.13	Isobutylvinylether stab. 0.1% DEA [109-53-5]	
9.8.14	Isobutylvinylether stab. 0.1% KOH [109-53-5]	

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	212.38 g/mol	H315; H319; H412 Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.8165 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	90 °C (1 hPa)			
m.p.	-12 °C			
M	72.11 g/mol	H225; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.754 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	36 °C			
m.p.	-115 °C			
M	72.11 g/mol	H225; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.759 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	36 °C			
m.p.	-115 °C			
M	72.11 g/mol	H225; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.754 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	36 °C			
m.p.	-115 °C			
M	116.16 g/mol	H302; H319; H412 Warning		REACH; TSCA; IECSC; ENCS/IS
d	0.94 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	189.53 °C			
m.p.	-33 °C			
M	100.16 g/mol	H225; H315; H412 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.769 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	83 °C			
m.p.	-112 °C			
M	100.16 g/mol	H225; H315; H412 Danger	 	REACH; TSCA; IECSC; ENCS/IS
d	0.769 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	83 °C			
m.p.	-112 °C			

Explanation of symbols

M = Mol. Weight

d = Density







% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point



If not specified, b.p. and m.p. measured at 1013 hPa.

9.8 Vinyl Compounds and Ethers

No.	Product [CAS Registry No.]	Formula
9.8.15	Koresin® pellets [28514-92-3] Remark 1	
9.8.16	N-Butyl vinyl ether [111-34-2]	
9.8.17	Octadecyl vinyl ether [930-02-9]	
9.8.18	tert.-Butyl vinyl ether [926-02-3]	
9.8.19	Triethyleneglycol divinyl ether [765-12-8]	
9.8.20	Vinyl caprolactam HO-Tempo [2235-00-9] Remark 2	
9.8.21	Vinyl phosphonic acid [1746-03-8]	

Remarks

- 1 Also available as powder
- 2 New non-toxic stabilizer

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	not available			TSCA; IECSC; ENCS/IS
d	1.03 g/cm ³ (20 °C)			
% (w/w)	not available			
b.p.	not available			
m.p.	135 – 150 °C			
M	100.16 g/mol	H225; H315; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.779 g/cm ³ (20 °C)			
% (w/w)	min. 99.0			
b.p.	94 °C			
m.p.	-113 °C			
M	296.54 g/mol	H412		REACH; TSCA; IECSC; ENCS/IS
d	0.812 g/cm ³ (40 °C)			
% (w/w)	80.0 – 89.0			
b.p.	179 – 192 °C (6.7 hPa)			
m.p.	24 – 28 °C			
M	100.16 g/mol	H225; H412 Danger		REACH; TSCA; IECSC; ENCS/IS
d	0.762 g/cm ³ (20 °C)			
% (w/w)	min. 98.0			
b.p.	76 °C			
m.p.	not available			
M	202.25 g/mol			REACH; TSCA; IECSC; ENCS/IS
d	1.00 g/cm ³ (20 °C)			
% (w/w)	min. 98.5			
b.p.	252.9 °C			
m.p.	-12.6 °C			
M	139.20 g/mol	H302; H319 Warning		REACH; TSCA; IECSC; ENCS/IS
d	1.01 g/cm ³ (40 °C)			
% (w/w)	min. 98.5			
b.p.	113 – 116 °C (13 hPa)			
m.p.	34 °C			
M	108.03 g/mol	H314 Danger		REACH; TSCA; IECSC
d	1.37 g/cm ³ (30 °C)			
% (w/w)	90.0 – 97.0			
b.p.	not applicable			
m.p.	36 °C			

Explanation of symbols

M = Mol. Weight

d = Density



% (w/w) = Purity/Content



b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

9.9 Others

No.	Product [CAS Registry No.]	Formula
9.9.1	Methanesulfonic acid 100 [75-75-2]	 <p>The chemical structure shows a central sulfur atom (S) bonded to a hydroxyl group (HO) on the left, a double-bonded oxygen atom (O) on the right, and a single-bonded oxygen atom (O) at the bottom. A vertical line extends upwards from the sulfur atom, representing the methyl group.</p>
9.9.2	Methanesulfonic acid 70%	 <p>The chemical structure is identical to the one above, showing a central sulfur atom (S) bonded to a hydroxyl group (HO) on the left, a double-bonded oxygen atom (O) on the right, and a single-bonded oxygen atom (O) at the bottom, with a vertical line extending upwards from the sulfur atom.</p>

Physical Data		H-Phrases EU-GHS Signal Word GHS	Pictogram	Chemical Inventory
M	96.11 g/mol	H290; H314 Danger		REACH; TSCA; IECSC; ENCS/IS
d	1.48 g/cm ³ (20 °C)			
% (w/w)	min. 99.5			
b.p.	167 °C (10 hPa)			
m.p.	20 °C			
M	not available	H290; H314 Danger		TSCA; IECSC; ENCS/IS
d	1.35 g/cm ³ (25 °C)			
% (w/w)	69.5 – 70.5			
b.p.	135 °C			
m.p.	-54 °C			

Explanation of symbols

M = Mol. Weight

d = Density

% (w/w) = Purity/Content

b.p. = Boiling Point

m.p. = Melting Point

If not specified, b.p. and m.p. measured at 1013 hPa.

Alphabetical Index

Product	Page	Index
A		
N-Acetylmorpholine	110	7.4.6
N-Acetylmorpholine	142	9.1.5
N3-Amine 3-(2-Aminoethylamino)propylamine	54	4.3.7
N4-Amine N,N'-Bis-(3-Aminopropyl)ethylenediamine	56	4.3.8
5-Amino-1-pentanol sol. 50%	84	5.4.4
3-Amino-1-propanol	84	5.4.2
3-Amino-2,2-dimethylpropionic acid amide	142	9.1.1
2-(2-Aminoethoxy)ethanol	84	5.4.1
N-(2-Aminoethyl)ethanolamine	86	5.4.8
N-(3-Aminopropyl)imidazole	102	7.2.15
AMIX 1000	54	4.3.1
AMIX 1000	72	4.7.1
AMIX A	54	4.3.2
AMIX A	72	4.7.2
AMIX M	72	4.7.3
AMIX M	110	7.4.2
AMIX TE	72	4.7.4
AMIX TE	74	5.1.1
AMIX TI solution	72	4.7.5
AMIX TI solution	78	5.2.1
tert.-Amyl alcohol	20	2.1.9
Aniline	66	4.6.4
Anthranilic acid amide dry	66	4.6.5
Anthranilic acid amide dry	142	9.1.2

B

Basionics™ AL 01 – EMIM Cl : AlCl ₃ = 1 : 1.5	148	9.4.2
Basionics™ BC 01	148	9.4.3
Basionics™ EE 03	148	9.4.4
Basionics™ FS 01	148	9.4.5
Basionics™ FS 13	148	9.4.6
Basionics™ HP 01	150	9.4.7
Basionics™ LQ 01	150	9.4.8
Basionics™ LQ 11	150	9.4.9
Basionics™ OH 01	150	9.4.10
Basionics™ ST 35	150	9.4.11
Basionics™ ST 70	152	9.4.12
Basionics™ ST 80	152	9.4.13
Basionics™ UV 33	152	9.4.14
Basionics™ UV 43	152	9.4.15
Basionics™ VS 01	152	9.4.16
Basionics™ VS 03	152	9.4.17
Basionics™ VS 11	154	9.4.18
Baxxodur® ECX 210	50	4.2.10

Product	Page	Index
Baxxodur® PC 136	50	4.2.11
Baxxodur® PC 136	156	9.5.1
Benzophenonimine techn.	146	9.3.1
Benzylamine	66	4.6.6
Benzyl chloroformate	14	1.4.3
N,N-Bis-(3-aminopropyl)methylamine	54	4.3.6
Butane-2,3-diol	22	2.2.7
1,4-Butanediol	22	2.2.2
Butanediol divinyl ether	162	9.8.5
Butylamine	38	4.1.2
tert.-Butylamine	44	4.1.22
4-tert.-Butylcyclohexyl chloroformate	14	1.4.2
Butyldiethanolamine	80	5.3.2
Butylethanolamine	80	5.3.3
N-Butyl vinyl ether	166	9.8.16
tert.-Butyl vinyl ether	166	9.8.18
2-Butyne-1,4-diol pure cryst. unstab.	22	2.2.5
3-Butyne-2-ol 55% sol.	18	2.1.5
gamma-Butyrolactone dist.	104	7.3.4

C

epsilon-Caprolactone	104	7.3.5
Carbonate Mix 50	94	7.1.2
Carbonate Mix 60	94	7.1.3
Cetyl chloroformate RD	14	1.4.4
ChiPros® (1R, 2R)-trans-2-Amino cyclopentanol hydrochloride	126	8.2.2
ChiPros® (1R-trans)-2-(Phenyl methoxy)cyclohexanamine	126	8.2.3
ChiPros® (1S, 2S)-trans-2-Benzyloxycyclohexylamine	126	8.2.4
ChiPros® (R)-1-(1-Naphthyl)ethylamine	126	8.2.5
ChiPros® (R)-1-(2-Methoxyphenyl)ethylamine	126	8.2.6
ChiPros® (R)-1-(2-Naphthyl)ethylamine	126	8.2.7
ChiPros® (R)-1-(3,5-Ditrifluormethyl)phenylethanol	124	8.1.1
ChiPros® (R)-1-(3-Methoxyphenyl)ethylamine	128	8.2.8
ChiPros® (R)-1-(4-Chlorophenyl)ethylamine	128	8.2.9
ChiPros® (R)-1-(4-Fluorophenyl)ethylamine	128	8.2.10
ChiPros® (R)-1-(4-Methoxyphenyl)ethylamine	128	8.2.11
ChiPros® (R)-1-(4-Methylphenyl)ethylamine	128	8.2.12
ChiPros® (R)-1-Aminoindane	128	8.2.13
ChiPros® (R)-1-Aminotetraline	128	8.2.14
ChiPros® (R)-1-Cyclohexylethylamine	130	8.2.15
ChiPros® (R)-1-Cyclopropylethylamine	130	8.2.16
ChiPros® (R)-1-Phenylethylamine	130	8.2.17
ChiPros® (R)-1-Phenylpropylamine	130	8.2.18
ChiPros® (R)-2-Aminobutane	130	8.2.19
ChiPros® (R)-2-Chloromandelic acid	140	8.3.1
ChiPros® (R)-2-Hexylamine	130	8.2.20

Alphabetical Index

Product	Page	Index
ChiPros® (R)-3-Aminobutan-1-ol	130	8.2.21
ChiPros® (R)-3-Methyl-2-butylamine	132	8.2.22
ChiPros® (R)-Isobutyl lactate raw (D-LIB)	140	8.3.2
ChiPros® (R)-Mandelic acid	140	8.3.3
ChiPros® (R)-N-Benzyl-1-phenylethylamine	132	8.2.23
ChiPros® (S)-1-(1-Naphthyl)ethylamine	132	8.2.24
ChiPros® (S)-1-(2-Naphthyl)ethylamine	132	8.2.25
ChiPros® (S)-1-(3,5-Ditri fluoromethyl)phenylethanol	124	8.1.2
ChiPros® (S)-1-(3-Methoxyphenyl)ethylamine	132	8.2.26
ChiPros® (S)-1-(4-Chlorophenyl)ethylamine	132	8.2.27
ChiPros® (S)-1-(4-Fluorophenyl)ethylamine	132	8.2.28
ChiPros® (S)-1-(4-Methoxyphenyl)ethylamine	134	8.2.29
ChiPros® (S)-1-(4-Methylphenyl)ethylamine	134	8.2.30
ChiPros® (S)-1-Aminoindane	134	8.2.31
ChiPros® (S)-1-Aminotetraline	134	8.2.32
ChiPros® (S)-1-Cyclohexylethylamine	134	8.2.33
ChiPros® (S)-1-Cyclopropylethylamine	134	8.2.34
ChiPros® (S)-1-Phenylethylamine	134	8.2.35
ChiPros® (S)-1-Phenylpropylamine	136	8.2.36
ChiPros® (S)-2-Hexylamine	136	8.2.37
ChiPros® (S)-2-Pentanol	124	8.1.3
ChiPros® (S)-3,3-Dimethyl-2-aminobutane	136	8.2.38
ChiPros® (S)-3-Methyl-2-butylamine	136	8.2.39
ChiPros® (S)-Butan-2-ol	124	8.1.4
ChiPros® (S)-Methoxyisopropylamine	136	8.2.40
ChiPros® (S)-N-Benzyl-1-phenylethylamine	136	8.2.41
ChiPros® Clophar	136	8.2.42
ChiPros® Clophas	138	8.2.43
1-Chloro-3-methoxypropane (standard)	10	1.2.2
1-Chloro-3-methoxypropane > 99%	10	1.2.3
1-Chloro-3-methoxypropane Pharma Premium	10	1.2.4
4-Chlorobutyl chloride	6	1.1.3
5-Chlorovaleryl chloride	6	1.1.4
3-Chloropropionyl chloride	6	1.1.2
Cyclododecanone	36	3.3.1
Cyclododecanone F	36	3.3.2
Cyclododecatriene	144	9.2.1
3-(Cyclohexylamino)propylamine	48	4.2.5
Cyclohexylpyrrolidone	104	7.3.3
Cyclohexyl vinyl ether	162	9.8.6
Cyclopentanone	36	3.3.3
Cyclopentanone P	36	3.3.4

D

Di-(2-ethylhexyl)amine	38	4.1.3
N,N-Di-(2-hydroxyethyl)aniline	68	4.6.11

Product	Page	Index
N,N-Di-(2-hydroxyethyl)aniline	86	5.4.10
Di-(2-methoxyethyl)amine	58	4.4.5
4,4'-Diaminodicyclohexylmethane	50	4.2.9
4,4'-Diaminodiphenylmethane molten plus	66	4.6.3
1,3-Diaminopropane	48	4.2.2
Dibutylamine	38	4.1.4
Dibutylethanolamine	80	5.3.4
1,6-Dichlorohexane	10	1.2.1
Dicyclohexylamine	38	4.1.5
Diethanolamine pure	74	5.1.2
Diethanol-para-toluidine	66	4.6.7
Diethanol-para-toluidine in MMA, 50 : 50	68	4.6.8
Diethylamine	38	4.1.6
2-(Diethylamino)ethylamine	48	4.2.3
3-(Diethylamino)propylamine	48	4.2.6
Diethylcarbamoyl chloride	12	1.3.1
Diethyleneglycol divinyl ether	162	9.8.7
Diethylenetriamine	54	4.3.3
Diethylethanolamine	80	5.3.5
Diethylketone	36	3.3.5
3,4-Dihydro-2H-pyran	94	7.1.1
3,4-Dihydro-2H-pyran	162	9.8.4
Diisopropanolamine	78	5.2.2
Diisopropanol-p-toluidine	68	4.6.9
2-(Diisopropylamino)ethylamine	48	4.2.4
1,1-Dimethoxy-N,N-dimethyl methanamine	32	3.1.1
2,5-Dimethyl-2,5-hexanediol	22	2.2.4
3,3'-Dimethyl-4,4'-diamino-dicyclohexylmethane	50	4.2.8
N,N-Dimethylacetamide	142	9.1.4
Dimethylamine anhydrous	38	4.1.7
3-(Dimethylamino)propylamine	48	4.2.7
3-Dimethylaminopropane-1-ol	80	5.3.1
N,N-Dimethylethanolamine S	82	5.3.10
Dimethylethylamine	40	4.1.8
Dimethylformamide	142	9.1.3
N,N-Dimethylisopropanolamine	82	5.3.11
N,N-Dimethylisopropylamine	42	4.1.16
Dimethylpropylamine	40	4.1.9
N,N'-Dimethyl propylene urea	160	9.7.3
1,4-Dimethylpyrazole	98	7.2.1
N,N'-Dimethyl urea	160	9.7.4
4,9-Dioxadodecane-1,12-diamine	58	4.4.4
1,4-Dioxane	112	7.5.2
1,4-Dioxane stab.	112	7.5.3
1,4-Dioxan stab. ultra pure	112	7.5.1
Dipropylamine	40	4.1.10
Dipropylene triamine	54	4.3.4

Alphabetical Index

Product	Page	Index
Ditridecylamine mixture of isomers	40	4.1.11
1,3-Divinylimidazolidin-2-one	162	9.8.1
N-Dodecyl-2-pyrrolidone	106	7.3.8
Dodecyl vinyl ether	164	9.8.8

E

Ethanolamine mixtures (anhydrous)	74	5.1.3
4-Ethyl-1-octyn-3-ol	18	2.1.6
1-Ethyl-3-methyl imidazolium methylcarbonate in methanol	148	9.4.1
2-Ethyl-4-methylimidazole	98	7.2.4
2-Ethyl-4-methylimidazole dist.	98	7.2.5
2-Ethyl-4-methylimidazole S	98	7.2.6
Ethylamine solution 70%	40	4.1.12
Ethyl chloroformate	14	1.4.5
N-Ethyl-diisopropylamine	42	4.1.17
Ethylene carbonate S®	94	7.1.4
Ethylene chlorohydrine	10	1.2.6
Ethylenediamine	50	4.2.12
Ethylene urea	160	9.7.1
Ethylethanolamine	80	5.3.6
2-Ethylhexanal	34	3.2.1
2-Ethylhexanoic acid	88	6.1.1
2-Ethylhexanoyl chloride	6	1.1.1
2-Ethylhexylamine	38	4.1.1
2-Ethylhexylchloride	10	1.2.5
2-Ethylhexyl chloroformate	14	1.4.1
2-Ethylhexyl vinyl ether	162	9.8.3
1-Ethylimidazole	98	7.2.2
2-Ethylimidazole ultra pure	98	7.2.7
N-Ethyl-N-(2-hydroxyethyl)aniline	68	4.6.12
N-Ethyl-N-propylamine azeotrope	42	4.1.18
N-Ethylpiperazine	116	7.7.2
N-Ethylpiperidine	118	7.8.1
N-Ethylpyrrolidone-2	106	7.3.9
Ethylvinylether stab. 0.01% KOH	164	9.8.9
Ethylvinylether stab. 0.1% DEA	164	9.8.10
Ethylvinylether stab. 0.1% KOH	164	9.8.11
1-Ethynyl-1-cyclohexanol	18	2.1.1

F

Formamide	92	6.2.2
Formic acid 85%	88	6.1.2
Formic acid 94%	88	6.1.3
Formic acid 99 – 100%	88	6.1.4
N-Formylmorpholine	110	7.4.7

Product	Page	Index
N-Formylmorpholine	142	9.1.6
3-Formylpinan raw	34	3.2.3
4-Formyltetrahydropyran	122	7.10.1

G

Glutaraldehyde 24% sol.	34	3.2.4
Glutaraldehyde 50% solution low methanol	34	3.2.5
Glyoxal 40%	34	3.2.6

H

HDO® 1,6-Hexanediol flakes	24	2.2.8
HDO® 1,6-Hexanediol molten	24	2.2.9
Heptane acid chloride	6	1.1.5
n-Hexyl chloroformate	16	1.4.8
3-Hexyne-2,5-diol	22	2.2.6
Hydroxyethylpiperazine	84	5.4.5
Hydroxybutyl vinyl ether	164	9.8.12
N-(2-Hydroxyethyl)-2-pyrrolidone	104	7.3.6
N-(2-Hydroxyethyl)-2-pyrrolidone 95%	104	7.3.7
N-(2-Hydroxyethyl)aniline	68	4.6.10
N-(2-Hydroxyethyl)aniline	86	5.4.9
N-(2-Hydroxyethyl)ethylene urea	160	9.7.2
4-(2-Hydroxyethyl)morpholine	84	5.4.3
4-(2-Hydroxyethyl)morpholine	110	7.4.1
2-Hydroxyethyl carbamate	92	6.2.1
Hydroxyethylpiperazine	116	7.7.1
Hydroxypivalic acid neopentylglycolester flakes	24	2.2.10
Hydroxypivalic acid neopentylglycolester molten	24	2.2.11

I

Imidazole	100	7.2.10
Imidazole aqueous solution 50%	100	7.2.11
Isatoic anhydride dry	92	6.2.3
Isobutyleneoxide	114	7.6.1
Isobutylvinylether stab. 0.1% DEA	164	9.8.13
Isobutylvinylether stab. 0.1% KOH	164	9.8.14
Isobutyryl chloride	6	1.1.6
Isononanoic acid C	88	6.1.6
Isononanoyl chloride	6	1.1.7
Isophorone diamine	50	4.2.13
Isopropanolamine	78	5.2.3
Isopropylamine anhydrous	40	4.1.13
Isovaleroyl chloride	8	1.1.8

Alphabetical Index

Product	Page	Index
K		
Koresin® pellets	166	9.8.15
L		
Lupragen® API – N-(3-Aminopropyl)imidazole	100	7.2.12
Lupragen® DMI – 1,2-Dimethylimidazole	100	7.2.13
Lupragen® N 100 – N,N-Dimethylcyclohexylamine	40	4.1.14
Lupragen® N 100 – N,N-Dimethylcyclohexylamine	62	4.5.1
Lupragen® N 101 – Dimethylethanolamine	62	4.5.2
Lupragen® N 101 – Dimethylethanolamine	80	5.3.7
Lupragen® N 105 – N-Methylmorpholine	62	4.5.3
Lupragen® N 105 – N-Methylmorpholine	110	7.4.3
Lupragen® N 106 – 2,2'-Dimorpholinodiethylether	62	4.5.4
Lupragen® N 106 – 2,2'-Dimorpholinodiethylether	110	7.4.4
Lupragen® N 107 – Dimethylaminoethoxyethanol	62	4.5.5
Lupragen® N 107 – Dimethylaminoethoxyethanol	84	5.4.6
Lupragen® N 201 – Triethylenediamine in dipropyleneglycol	62	4.5.6
Lupragen® N 201 – Triethylenediamine in dipropyleneglycol	112	7.5.4
Lupragen® N 203 – Triethylenediamine in monoethyleneglycol	62	4.5.7
Lupragen® N 203 – Triethylenediamine in monoethyleneglycol	112	7.5.5
Lupragen® N 205 – Bis(2-dimethylaminoethyl)ether	58	4.4.6
Lupragen® N 205 – Bis(2-dimethylaminoethyl)ether	64	4.5.8
Lupragen® N 301 – Pentamethyldietylenetriamine	54	4.3.5
Lupragen® N 301 – Pentamethyldietylenetriamine	64	4.5.9
Lupragen® N 400 – Trimethylaminoethylethanolamine	64	4.5.10
Lupragen® N 400 – Trimethylaminoethylethanolamine	84	5.4.7
Lupragen® N 500 – Tetramethyl-1,6-hexanediamine	52	4.2.14
Lupragen® N 500 – Tetramethyl-1,6-hexanediamine	64	4.5.11
Lupragen® N 600 – S-Triazine	64	4.5.12
Lupragen® N 700 – 1,8-Diazabicyclo-5,4,0-undecene-7	64	4.5.13
Lupragen® N 700 – 1,8-Diazabicyclo-5,4,0-undecene-7	112	7.5.6
Lupragen® NMI – N-Methylimidazole	100	7.2.14
M		
2-Mercaptoethanol	18	2.1.2
Methanesulfonic acid 100	168	9.9.1
Methanesulfonic acid 70%	168	9.9.2
2-Methoxyethylamine	58	4.4.1
3-Methoxypropylamine	58	4.4.2
2-Methyl-3-butyn-2-ol	18	2.1.3
N-Methylacetamide	142	9.1.7
Methyl chloroformate	14	1.4.6
Methyldiethanolamine	82	5.3.8
Methyldiisopropanolamine	82	5.3.9

Product	Page	Index
N-Methylethanolamine	82	5.3.12
Methyl formate pure	92	6.2.4
1-Methylimidazole	98	7.2.3
2-Methylimidazole flakes	100	7.2.8
2-Methylimidazole pure	100	7.2.9
N-Methyl-N-isopropylamine	42	4.1.19
2-Methylpentanal	34	3.2.2
N-Methylpiperazine	116	7.7.3
N-Methylpiperidine 80% calc. 100%	118	7.8.2
N-Methylpyrrolidine	120	7.9.1
N-Methylpyrrolidone dist.	106	7.3.10
N-Methylpyrrolidone Life Science	106	7.3.11
Monoethanolamine pure	74	5.1.4
Monomethylamine anhydrous	42	4.1.15
Morpholine	110	7.4.5
Myristyl chloroformate	14	1.4.7

N

Neodecanoyl chloride	8	1.1.9
Neol® Neopentylglycol flakes	24	2.2.12
Neol® Neopentylglycol pure liquid	24	2.2.13
Neol® Neopentylglycol sol. 90% fix calc. 100%	24	2.2.14
Neopentanediamine (2,2-Dimethyl propane-1,3-diamine)	52	4.2.16
p-Nitrotoluene pure	70	4.6.14
i-Nonanoic acid	88	6.1.5

O

Octadecyl vinyl ether	166	9.8.17
Octamethylenediamine	52	4.2.17
Octanoyl chloride	8	1.1.10
N-Octyl-2-pyrrolidone dist.	106	7.3.12
N-Octylamine	42	4.1.20

P

1,2-Pentanediol	22	2.2.1
1,5-Pentanediol	22	2.2.3
2-Phenylethylamine	66	4.6.2
1-Phenylethylamine	126	8.2.1
o-Phthalodinitrile	156	9.5.2
Piperazine	116	7.7.4
Piperidine	118	7.8.3
Pivaloyl chloride	8	1.1.11
Polyetheramine D 2000	58	4.4.7
Polyetheramine D 230	60	4.4.8

Alphabetical Index

Product	Page	Index
Polyetheramine D 400	60	4.4.9
Polyetheramine T 403	60	4.4.10
Polyetheramine T 5000	60	4.4.11
PolyTHF® 1000	26	2.2.15
PolyTHF® 1000 S	26	2.2.16
PolyTHF® 1400	26	2.2.17
PolyTHF® 1800	26	2.2.18
PolyTHF® 2000	26	2.2.19
PolyTHF® 250 techn.	26	2.2.20
PolyTHF® 650 S	26	2.2.21
Propargyl alcohol 50%	18	2.1.7
Propargyl alcohol highly conc.	20	2.1.8
Propionic acid pure	88	6.1.7
Propionyl chloride	8	1.1.12
Propylamine	42	4.1.21
Propyl chloroformate	16	1.4.9
Propylene carbonate S®	94	7.1.5
1,2-Propylenediamine techn.	48	4.2.1
Pyrrolidine pure	120	7.9.2
2-Pyrrolidone crude	104	7.3.1
2-Pyrrolidone dist.	104	7.3.2

S

Sarcosine sodium 40% sol.	90	6.1.8
Suberonitrile	156	9.5.3

T

Tetrahydropyran-4-carboxylic acid methylester	122	7.10.2
N,N,N',N'-Tetramethyl-1,3-propane diamine	52	4.2.15
THF Pharma non-stab.	94	7.1.6
THF Pharma stab.	94	7.1.7
THF Pharma stab. super dry	96	7.1.8
Thiodiglycol	28	2.2.22
Thiodiglycol HP	28	2.2.23
Thiodiglycol ultra	28	2.2.24
TMDD 100%	28	2.2.25
TMDD 440	28	2.2.26
TMDD 50% BG	28	2.2.27
TMDD 50% EG	30	2.2.28
TMDD 50% PG	30	2.2.29
o-Toluidine pure	68	4.6.13
Tributylamine	44	4.1.23
Tridecylamine mixture of isomers	44	4.1.24
Triethanolamine pure	74	5.1.5
Triethanolamine S	74	5.1.6

Product	Page	Index
Triethanolamine T 85	76	5.1.7
Triethylamine anhydrous	44	4.1.25
Triethyleneglycol divinyl ether	166	9.8.19
Triisopropanolamine	78	5.2.4
Trimethylamine anhydrous	44	4.1.26
Trimethylaminehydrochloride sol. 70%	44	4.1.27
3,7,11-Trimethyldodecyn-3-ol	18	2.1.4
4,7,10-Trioxatridecane-1,13-diamine	58	4.4.3
Triphenyl phosphine molten	158	9.6.1
Triphenyl phosphine pellets	158	9.6.2
Tripropylamine	44	4.1.28
Tris-(2-ethylhexyl)amine	46	4.1.29

V

delta-Valerolactone	106	7.3.13
Valeroyl chloride	8	1.1.13
N-Vinyl-2-pyrrolidone stab. 0.1% NaOH	106	7.3.14
N-Vinyl-2-pyrrolidone stab. 100 ppm Kerobit	108	7.3.16
N-Vinyl-2-pyrrolidone stab. 10 ppm Kerobit	108	7.3.15
N-Vinyl-2-pyrrolidone stab. 25 ppm Kerobit	108	7.3.17
Vinyl caprolactam HO-Tempo	166	9.8.20
Vinylene carbonate E	96	7.1.9
1-Vinylimidazole	162	9.8.2
Vinyl phosphonic acid	166	9.8.21

X

2,6-Xylidine	66	4.6.1
--------------	----	-------

CAS Registry No. Index

CAS Registry No.	Product	Page	Index
56-18-8	Dipropylene triamine	54	4.3.4
60-24-2	2-Mercaptoethanol	18	2.1.2
62-53-3	Aniline	66	4.6.4
64-04-0	2-Phenylethylamine	66	4.6.2
64-18-6	Formic acid 85%	88	6.1.2
64-18-6	Formic acid 94%	88	6.1.3
64-18-6	Formic acid 99 – 100%	88	6.1.4
68-12-2	Dimethylformamide	142	9.1.3
74-89-5	Monomethylamine anhydrous	42	4.1.15
75-04-7	Ethylamine solution 70%	40	4.1.12
75-05-8	Basionics™ FS 13	148	9.4.6
75-12-7	Formamide	92	6.2.2
75-31-0	Isopropylamine anhydrous	40	4.1.13
75-50-3	Trimethylamine anhydrous	44	4.1.26
75-64-9	tert.-Butylamine	44	4.1.22
75-75-2	Methanesulfonic acid 100	168	9.9.1
75-85-4	tert.-Amyl alcohol	20	2.1.9
78-27-3	1-Ethynyl-1-cyclohexanol	18	2.1.1
78-90-0	1,2-Propylenediamine techn.	48	4.2.1
78-96-6	Isopropanolamine	78	5.2.3
79-03-8	Propionyl chloride	8	1.1.12
79-09-4	Propionic acid pure	88	6.1.7
79-16-3	N-Methylacetamide	142	9.1.7
79-22-1	Methyl chloroformate	14	1.4.6
79-30-1	Isobutyryl chloride	6	1.1.6
87-62-7	2,6-Xylidine	66	4.6.1
88-10-8	Diethylcarbamoyl chloride	12	1.3.1
88-12-0	N-Vinyl-2-pyrrolidone stab. 0.1% NaOH	106	7.3.14
88-12-0	N-Vinyl-2-pyrrolidone stab. 100 ppm Kerobit	108	7.3.16
88-12-0	N-Vinyl-2-pyrrolidone stab. 10 ppm Kerobit	108	7.3.15
88-12-0	N-Vinyl-2-pyrrolidone stab. 25 ppm Kerobit	108	7.3.17
88-68-6	Anthranilic acid amide dry	66	4.6.5
88-68-6	Anthranilic acid amide dry	142	9.1.2
91-15-6	o-Phthalodinitrile	156	9.5.2
92-50-2	N-Ethyl-N-(2-hydroxyethyl)aniline	68	4.6.12
95-53-4	o-Toluidine pure	68	4.6.13
96-22-0	Diethylketone	36	3.3.5
96-31-1	N,N'-Dimethyl urea	160	9.7.4
96-48-0	gamma-Butyrolactone dist.	104	7.3.4
96-49-1	Ethylene carbonate S®	94	7.1.4
98-94-2	Lupragen® N 100 – N,N-Dimethylcyclohexylamine	40	4.1.14
98-94-2	Lupragen® N 100 – N,N-Dimethylcyclohexylamine	62	4.5.1
99-99-0	p-Nitrotoluene pure	70	4.6.14
100-36-7	2-(Diethylamino)ethylamine	48	4.2.3
100-37-8	Diethylethanolamine	80	5.3.5

CAS Registry No.	Product	Page	Index
100-46-9	Benzylamine	66	4.6.6
101-77-9	4,4'-Diaminodiphenylmethane molten plus	66	4.6.3
101-83-7	Dicyclohexylamine	38	4.1.5
102-69-2	Tripropylamine	44	4.1.28
102-71-6	Triethanolamine pure	74	5.1.5
102-71-6	Triethanolamine S	74	5.1.6
102-71-6	Triethanolamine T 85	76	5.1.7
102-79-4	Butyldiethanolamine	80	5.3.2
102-81-8	Dibutylethanolamine	80	5.3.4
102-82-9	Tributylamine	44	4.1.23
103-44-6	2-Ethylhexyl vinyl ether	162	9.8.3
103-76-4	Hydroxyethylpiperazine	84	5.4.5
103-76-4	Hydroxyethylpiperazine	116	7.7.1
104-75-6	2-Ethylhexylamine	38	4.1.1
104-78-9	3-(Diethylamino)propylamine	48	4.2.6
105-59-9	Methyldiethanolamine	82	5.3.8
105-83-9	N,N-Bis-(3-aminopropyl)methylamine	54	4.3.6
106-20-7	Di-(2-ethylhexyl)amine	38	4.1.3
107-07-3	Ethylene chlorohydrine	10	1.2.6
107-10-8	Propylamine	42	4.1.21
107-15-3	Ethylenediamine	50	4.2.12
107-19-7	Propargyl alcohol 50%	18	2.1.7
107-19-7	Propargyl alcohol highly conc.	20	2.1.8
107-22-2	Glyoxal 40%	34	3.2.6
107-31-3	Methyl formate pure	92	6.2.4
108-01-0	N,N-Dimethylethanolamine S	82	5.3.10
108-01-0	Lupragen® N 101 – Dimethylethanolamine	62	4.5.2
108-01-0	Lupragen® N 101 – Dimethylethanolamine	80	5.3.7
108-12-3	Isovaleroyl chloride	8	1.1.8
108-16-7	N,N-Dimethylisopropanolamine	82	5.3.11
108-32-7	Propylene carbonate S®	94	7.1.5
109-01-3	N-Methylpiperazine	116	7.7.3
109-02-4	Lupragen® N 105 – N-Methylmorpholine	62	4.5.3
109-02-4	Lupragen® N 105 – N-Methylmorpholine	110	7.4.3
109-53-5	Isobutylvinylether stab. 0.1% DEA	164	9.8.13
109-53-5	Isobutylvinylether stab. 0.1% KOH	164	9.8.14
109-55-7	3-(Dimethylamino)propylamine	48	4.2.7
109-61-5	Propyl chloroformate	16	1.4.9
109-73-9	Butylamine	38	4.1.2
109-76-2	1,3-Diaminopropane	48	4.2.2
109-83-1	N-Methylethanolamine	82	5.3.12
109-85-3	2-Methoxyethylamine	58	4.4.1
109-89-7	Diethylamine	38	4.1.6
109-92-2	Ethylvinylether stab. 0.01% KOH	164	9.8.9
109-92-2	Ethylvinylether stab. 0.1% DEA	164	9.8.10

CAS Registry No. Index

CAS Registry No.	Product	Page	Index
109-92-2	Ethylvinylether stab. 0.1% KOH	164	9.8.11
109-99-9	THF Pharma non-stab.	94	7.1.6
109-99-9	THF Pharma stab.	94	7.1.7
109-99-9	THF Pharma stab. super dry	96	7.1.8
110-03-2	2,5-Dimethyl-2,5-hexanediol	22	2.2.4
110-63-4	1,4-Butanediol	22	2.2.2
110-65-6	2-Butyne-1,4-diol pure cryst. unstab.	22	2.2.5
110-73-6	Ethylethanolamine	80	5.3.6
110-85-0	Piperazine	116	7.7.4
110-87-2	3,4-Dihydro-2H-pyran	94	7.1.1
110-87-2	3,4-Dihydro-2H-pyran	162	9.8.4
110-89-4	Piperidine	118	7.8.3
110-91-8	Morpholine	110	7.4.5
110-95-2	N,N,N',N'-Tetramethyl-1,3-propane diamine	52	4.2.15
110-97-4	Diisopropanolamine	78	5.2.2
111-18-2	Lupragen® N 500 – Tetramethyl-1,6-hexanediamine	52	4.2.14
111-18-2	Lupragen® N 500 – Tetramethyl-1,6-hexanediamine	64	4.5.11
111-29-5	1,5-Pentanediol	22	2.2.3
111-30-8	Glutaraldehyde 24% sol.	34	3.2.4
111-30-8	Glutaraldehyde 50% solution low methanol	34	3.2.5
111-34-2	N-Butyl vinyl ether	166	9.8.16
111-40-0	Diethylenetriamine	54	4.3.3
111-41-1	N-(2-Aminoethyl)ethanolamine	86	5.4.8
111-42-2	Diethanolamine pure	74	5.1.2
111-48-8	Thiodiglycol	28	2.2.22
111-48-8	Thiodiglycol HP	28	2.2.23
111-48-8	Thiodiglycol ultra	28	2.2.24
111-64-8	Octanoyl chloride	8	1.1.10
111-75-1	Butylethanolamine	80	5.3.3
111-86-4	N-Octylamine	42	4.1.20
111-92-2	Dibutylamine	38	4.1.4
111-95-5	Di-(2-methoxyethyl)amine	58	4.4.5
115-19-5	2-Methyl-3-butyn-2-ol	18	2.1.3
118-48-9	Isatoic anhydride dry	92	6.2.3
120-07-0	N,N-Di-(2-hydroxyethyl)aniline	68	4.6.11
120-07-0	N,N-Di-(2-hydroxyethyl)aniline	86	5.4.10
120-92-3	Cyclopentanone	36	3.3.3
120-92-3	Cyclopentanone P	36	3.3.4
120-93-4	Ethylene urea	160	9.7.1
120-94-5	N-Methylpyrrolidine	120	7.9.1
121-05-1	2-(Diisopropylamino)ethylamine	48	4.2.4
121-44-8	Triethylamine anhydrous	44	4.1.25
122-20-3	AMIX TI solution	72	4.7.5
122-20-3	AMIX TI solution	78	5.2.1
122-20-3	Triisopropanolamine	78	5.2.4

CAS Registry No.	Product	Page	Index
122-98-5	N-(2-Hydroxyethyl)aniline	68	4.6.10
122-98-5	N-(2-Hydroxyethyl)aniline	86	5.4.9
123-04-6	2-Ethylhexylchloride	10	1.2.5
123-05-7	2-Ethylhexanal	34	3.2.1
123-15-9	2-Methylpentanal	34	3.2.2
123-75-1	Pyrrolidine pure	120	7.9.2
123-91-1	1,4-Dioxane	112	7.5.2
123-91-1	1,4-Dioxane stab.	112	7.5.3
123-91-1	1,4-Dioxan stab. ultra pure	112	7.5.1
124-40-3	Dimethylamine anhydrous	38	4.1.7
126-30-7	Neol® Neopentylglycol flakes	24	2.2.12
126-30-7	Neol® Neopentylglycol pure liquid	24	2.2.13
126-30-7	Neol® Neopentylglycol sol. 90% fix calc. 100%	24	2.2.14
126-86-3	TMDD 100%	28	2.2.25
126-86-3	TMDD 50% BG	28	2.2.27
126-86-3	TMDD 50% EG	30	2.2.28
126-86-3	TMDD 50% PG	30	2.2.29
127-19-5	N,N-Dimethylacetamide	142	9.1.4
141-43-5	Monoethanolamine pure	74	5.1.4
142-84-7	Dipropylamine	40	4.1.10
149-57-5	2-Ethylhexanoic acid	88	6.1.1
156-87-6	3-Amino-1-propanol	84	5.4.2
280-57-9	Lupragen® N 201 – Triethylenediamine in dipropyleneglycol	62	4.5.6
280-57-9	Lupragen® N 201 – Triethylenediamine in dipropyleneglycol	112	7.5.4
280-57-9	Lupragen® N 203 – Triethylenediamine in monoethyleneglycol	62	4.5.7
280-57-9	Lupragen® N 203 – Triethylenediamine in monoethyleneglycol	112	7.5.5
288-32-4	Imidazole	100	7.2.10
373-44-4	Octamethylenediamine	52	4.2.17
501-53-1	Benzyl chloroformate	14	1.4.3
502-44-3	epsilon-Caprolactone	104	7.3.5
513-85-9	Butane-2,3-diol	22	2.2.7
541-41-3	Ethyl chloroformate	14	1.4.5
542-28-9	delta-Valerolactone	106	7.3.13
558-30-5	Isobutyleneoxide	114	7.6.1
593-81-7	Trimethylaminehydrochloride sol. 70%	44	4.1.27
598-56-1	Dimethylethylamine	40	4.1.8
603-35-0	Triphenyl phosphine molten	158	9.6.1
603-35-0	Triphenyl phosphine pellets	158	9.6.2
611-71-2	ChiPros® (R)-Mandelic acid	140	8.3.3
616-45-5	2-Pyrrolidone crude	104	7.3.1
616-45-5	2-Pyrrolidone dist.	104	7.3.2
616-47-7	Lupragen® NMI – N-Methylimidazole	100	7.2.14
616-47-7	1-Methylimidazole	98	7.2.3

CAS Registry No. Index

CAS Registry No.	Product	Page	Index
618-36-0	1-Phenylethylamine	126	8.2.1
622-40-2	4-(2-Hydroxyethyl)morpholine	84	5.4.3
622-40-2	4-(2-Hydroxyethyl)morpholine	110	7.4.1
625-36-5	3-Chloropropionyl chloride	6	1.1.2
626-67-5	N-Methylpiperidine 80% calc. 100%	118	7.8.2
629-11-8	HDO® 1,6-Hexanediol flakes	24	2.2.8
629-11-8	HDO® 1,6-Hexanediol molten	24	2.2.9
629-40-3	Suberonitrile	156	9.5.3
638-29-9	Valeroyl chloride	8	1.1.13
693-98-1	2-Methylimidazole flakes	100	7.2.8
693-98-1	2-Methylimidazole pure	100	7.2.9
760-67-8	2-Ethylhexanoyl chloride	6	1.1.1
764-99-8	Diethyleneglycol divinyl ether	162	9.8.7
765-12-8	Triethyleneglycol divinyl ether	166	9.8.19
765-14-0	Dodecyl vinyl ether	164	9.8.8
766-09-6	N-Ethylpiperidine	118	7.8.1
830-13-7	Cyclododecanone	36	3.3.1
830-13-7	Cyclododecanone F	36	3.3.2
872-36-6	Vinylene carbonate E	96	7.1.9
872-50-4	N-Methylpyrrolidone dist.	106	7.3.10
872-50-4	N-Methylpyrrolidone Life Science	106	7.3.11
926-02-3	tert.-Butyl vinyl ether	166	9.8.18
926-63-6	Dimethylpropylamine	40	4.1.9
929-06-6	2-(2-Aminoethoxy)ethanol	84	5.4.1
930-02-9	Octadecyl vinyl ether	166	9.8.17
931-36-2	2-Ethyl-4-methylimidazole	98	7.2.4
931-36-2	2-Ethyl-4-methylimidazole dist.	98	7.2.5
931-36-2	2-Ethyl-4-methylimidazole S	98	7.2.6
996-35-0	N,N-Dimethylisopropylamine	42	4.1.16
1013-88-3	Benzophenonimine techn.	146	9.3.1
1072-62-4	2-Ethylimidazole ultra pure	98	7.2.7
1072-63-5	1-Vinylimidazole	162	9.8.2
1072-68-0	1,4-Dimethylpyrazole	98	7.2.1
1115-20-4	Hydroxypivalic acid neopentylglycolester flakes	24	2.2.10
1115-20-4	Hydroxypivalic acid neopentylglycolester molten	24	2.2.11
1575-61-7	5-Chlorovaleryl chloride	6	1.1.4
1604-35-9	3,7,11-Trimethyldodecyn-3-ol	18	2.1.4
1696-20-4	N-Acetylmorpholine	110	7.4.6
1696-20-4	N-Acetylmorpholine	142	9.1.5
1704-62-7	Lupragen® N 107 – Dimethylaminoethoxyethanol	62	4.5.5
1704-62-7	Lupragen® N 107 – Dimethylaminoethoxyethanol	84	5.4.6
1739-84-0	Lupragen® DMI – 1,2-Dimethylimidazole	100	7.2.13
1746-03-8	Vinyl phosphonic acid	166	9.8.21
1761-71-3	4,4'-Diaminodicyclohexylmethane	50	4.2.9
1860-26-0	Tris-(2-ethylhexyl)amine	46	4.1.29

CAS Registry No.	Product	Page	Index
2028-63-9	3-Butyne-2-ol 55% sol.	18	2.1.5
2163-00-0	1,6-Dichlorohexane	10	1.2.1
2182-55-0	Cyclohexyl vinyl ether	162	9.8.6
2212-32-0	Lupragen® N 400 – Trimethylaminoethylethanolamine	64	4.5.10
2212-32-0	Lupragen® N 400 – Trimethylaminoethylethanolamine	84	5.4.7
2235-00-9	Vinyl caprolactam HO-Tempo	166	9.8.20
2508-29-4	5-Amino-1-pentanol sol. 50%	84	5.4.4
2528-61-2	Heptane acid chloride	6	1.1.5
2627-86-3	ChiPros® (S)-1-Phenylethylamine	134	8.2.35
2687-91-4	N-Ethylpyrrolidone-2	106	7.3.9
2687-94-7	N-Octyl-2-pyrrolidone dist.	106	7.3.12
2687-96-9	N-Dodecyl-2-pyrrolidone	106	7.3.8
2855-13-2	Isophorone diamine	50	4.2.13
3030-47-5	Lupragen® N 301 – Pentamethyldietylenetriamine	54	4.3.5
3030-47-5	Lupragen® N 301 – Pentamethyldietylenetriamine	64	4.5.9
3031-66-1	3-Hexyne-2,5-diol	22	2.2.6
3033-62-3	Lupragen® N 205 – Bis(2-dimethylaminoethyl)ether	58	4.4.6
3033-62-3	Lupragen® N 205 – Bis(2-dimethylaminoethyl)ether	64	4.5.8
3077-12-1	Diethanol-para-toluidine	66	4.6.7
3082-62-0	ChiPros® (S)-1-(2-Naphthyl)ethylamine	132	8.2.25
3082-64-2	ChiPros® (R)-1-Phenylpropylamine	130	8.2.18
3179-63-3	3-Dimethylaminopropane-1-ol	80	5.3.1
3282-30-2	Pivaloyl chloride	8	1.1.11
3302-10-1	Isononanoic acid C	88	6.1.6
3302-10-1	i-Nonanoic acid	88	6.1.5
3312-60-5	3-(Cyclohexylamino)propylamine	48	4.2.5
3445-11-2	N-(2-Hydroxyethyl)-2-pyrrolidone	104	7.3.6
3445-11-2	N-(2-Hydroxyethyl)-2-pyrrolidone 95%	104	7.3.7
3699-54-5	N-(2-Hydroxyethyl)ethylene urea	160	9.7.2
3789-59-1	ChiPros® (S)-1-Phenylpropylamine	136	8.2.36
3886-69-9	ChiPros® (R)-1-Phenylethylamine	130	8.2.17
3886-70-2	ChiPros® (R)-1-(1-Naphthyl)ethylamine	126	8.2.5
3891-33-6	Butanediol divinyl ether	162	9.8.5
3906-16-9	ChiPros® (R)-1-(2-Naphthyl)ethylamine	126	8.2.7
4187-38-6	ChiPros® (R)-1-(4-Methylphenyl)ethylamine	128	8.2.12
4187-56-8	ChiPros® Clophas	138	8.2.43
4221-99-2	ChiPros® (S)-Butan-2-ol	124	8.1.4
4246-51-9	4,7,10-Trioxatridecane-1,13-diamine	58	4.4.3
4316-73-8	Sarcosine sodium 40% sol.	90	6.1.8
4394-85-8	N-Formylmorpholine	110	7.4.7
4394-85-8	N-Formylmorpholine	142	9.1.6
4402-30-6	Methyldiisopropanolamine	82	5.3.9
4635-59-0	4-Chlorobutyryl chloride	6	1.1.3
4637-24-5	1,1-Dimethoxy-N,N-dimethyl methanamine	32	3.1.1
4747-21-1	N-Methyl-N-isopropylamine	42	4.1.19

CAS Registry No. Index

CAS Registry No.	Product	Page	Index
4904-61-4	Cyclododecatriene	144	9.2.1
5036-48-6	N-(3-Aminopropyl)imidazole	102	7.2.15
5036-48-6	Lupragen® API – N-(3-Aminopropyl)imidazole	100	7.2.12
5308-25-8	N-Ethylpiperazine	116	7.7.2
5332-73-0	3-Methoxypropylamine	58	4.4.2
5343-92-0	1,2-Pentanediol	22	2.2.1
5395-01-7	2-Hydroxyethyl carbamate	92	6.2.1
5877-42-9	4-Ethyl-1-octyn-3-ol	18	2.1.6
5913-13-3	ChiPros® (R)-1-Cyclohexylethylamine	130	8.2.15
6092-54-2	n-Hexyl chloroformate	16	1.4.8
6240-96-6	ChiPros® (R)-1-Cyclopropylethylamine	130	8.2.16
6299-02-1	ChiPros® (R)-1-(4-Chlorophenyl)ethylamine	128	8.2.9
6299-02-1	ChiPros® (S)-1-(4-Chlorophenyl)ethylamine	132	8.2.27
6425-39-4	Lupragen® N 106 – 2,2'-Dimorpholinodiethylether	62	4.5.4
6425-39-4	Lupragen® N 106 – 2,2'-Dimorpholinodiethylether	110	7.4.4
6674-22-2	Lupragen® N 700 – 1,8-Diazabicyclo-5,4,0-undecene-7	64	4.5.13
6674-22-2	Lupragen® N 700 – 1,8-Diazabicyclo-5,4,0-undecene-7	112	7.5.6
6837-24-7	Cyclohexylpyrrolidone	104	7.3.3
6864-37-5	3,3'-Dimethyl-4,4'-diamino-dicyclohexylmethane	50	4.2.8
7087-68-5	N-Ethyl-diisopropylamine	42	4.1.17
7098-07-9	1-Ethylimidazole	98	7.2.2
7226-23-5	N,N'-Dimethyl propylene urea	160	9.7.3
7300-34-7	4,9-Dioxadodecane-1,12-diamine	58	4.4.4
7328-91-8	Neopentanediamine (2,2-Dimethyl propane-1,3-diamine)	52	4.2.16
9014-85-1	TMDD 440	28	2.2.26
9046-10-0	Polyetheramine D 2000	58	4.4.7
9046-10-0	Polyetheramine D 230	60	4.4.8
9046-10-0	Polyetheramine D 400	60	4.4.9
10277-74-4	ChiPros® (R)-1-Aminoindane	128	8.2.13
10420-89-0	ChiPros® (S)-1-(1-Naphthyl)ethylamine	132	8.2.24
10563-26-5	N4-Amine N,N'-Bis-(3-Aminopropyl)ethylenediamine	56	4.3.8
13250-12-9	ChiPros® (R)-2-Aminobutane	130	8.2.19
13531-52-7	N3-Amine 3-(2-Aminoethylamino)propylamine	54	4.3.7
13811-50-2	1,3-Divinylimidazolidin-2-one	162	9.8.1
15875-13-5	Lupragen® N 600 – S-Triazine	64	4.5.12
17430-98-7	ChiPros® (S)-1-Cyclohexylethylamine	134	8.2.33
17480-69-2	ChiPros® (S)-N-Benzyl-1-phenylethylamine	136	8.2.41
17832-28-9	Hydroxybutyl vinyl ether	164	9.8.12
20193-20-8	N-Ethyl-N-propylamine azeotrope	42	4.1.18
22038-86-4	ChiPros® (R)-1-(4-Methoxyphenyl)ethylamine	128	8.2.11
22526-46-1	ChiPros® (S)-3-Methyl-2-butylamine	136	8.2.39
22526-47-2	ChiPros® (S)-3,3-Dimethyl-2-aminobutane	136	8.2.38
23357-46-2	ChiPros® (R)-1-Aminotetraline	128	8.2.14
23357-52-0	ChiPros® (S)-1-Aminotetraline	134	8.2.32
24468-13-1	2-Ethylhexyl chloroformate	14	1.4.1

CAS Registry No.	Product	Page	Index
25190-06-1	PolyTHF® 1000	26	2.2.15
25190-06-1	PolyTHF® 1000 S	26	2.2.16
25190-06-1	PolyTHF® 1400	26	2.2.17
25190-06-1	PolyTHF® 1800	26	2.2.18
25190-06-1	PolyTHF® 2000	26	2.2.19
25190-06-1	PolyTHF® 250 techn.	26	2.2.20
25190-06-1	PolyTHF® 650 S	26	2.2.21
26184-62-3	ChiPros® (S)-2-Pentanol	124	8.1.3
26272-90-2	Cetyl chloroformate RD	14	1.4.4
27298-98-2	ChiPros® (S)-1-(4-Methylphenyl)ethylamine	134	8.2.30
27298-99-3	ChiPros® Clophar	136	8.2.42
28514-92-3	Koresin® pellets	166	9.8.15
34701-33-2	ChiPros® (R)-3-Methyl-2-butylamine	132	8.2.22
36215-07-3	1-Chloro-3-methoxypropane (standard)	10	1.2.2
36215-07-3	1-Chloro-3-methoxypropane >99%	10	1.2.3
36215-07-3	1-Chloro-3-methoxypropane Pharma Premium	10	1.2.4
36727-29-4	Isononanoyl chloride	6	1.1.7
38235-77-7	ChiPros® (R)-N-Benzyl-1-phenylethylamine	132	8.2.23
38668-48-3	Diisopropanol-p-toluidine	68	4.6.9
39423-51-3	Polyetheramine T 403	60	4.4.10
40292-82-8	Neodecanoyl chloride	8	1.1.9
41851-59-6	ChiPros® (S)-1-(4-Methoxyphenyl)ethylamine	134	8.2.29
42125-46-2	4-tert.-Butylcyclohexyl chloroformate	14	1.4.2
50675-18-8	4-Formyltetrahydropyran	122	7.10.1
52950-18-2	ChiPros® (R)-2-Chloromandelic acid	140	8.3.1
56677-60-2	Myristyl chloroformate	14	1.4.7
60113-43-1	3-Formylpinan raw	34	3.2.3
61341-86-4	ChiPros® (S)-1-Aminoindane	134	8.2.31
61477-40-5	ChiPros® (R)-3-Aminobutan-1-ol	130	8.2.21
61597-96-4	ChiPros® (R)-Isobutyl lactate raw (D-LIB)	140	8.3.2
64852-22-8	Polyetheramine T 5000	60	4.4.11
65039-09-0	Basionics™ ST 80	152	9.4.13
66399-30-2	ChiPros® (S)-1-(4-Fluorophenyl)ethylamine	132	8.2.28
68285-23-4	ChiPros® (R)-1-(2-Methoxyphenyl)ethylamine	126	8.2.6
68327-11-7	ChiPros® (1R, 2R)-trans-2-Amino cyclopentanol hydrochloride	126	8.2.2
68909-77-3	AMIX M	72	4.7.3
68909-77-3	AMIX M	110	7.4.2
68910-05-4	AMIX 1000	54	4.3.1
68910-05-4	AMIX 1000	72	4.7.1
68953-70-8	AMIX TE	72	4.7.4
68953-70-8	AMIX TE	74	5.1.1
70095-40-8	ChiPros® (R)-2-Hexylamine	130	8.2.20
70492-67-0	ChiPros® (S)-2-Hexylamine	136	8.2.37
79917-90-1	Basionics™ ST 70	152	9.4.12

CAS Registry No. Index











CAS Registry No.	Product	Page	Index
82796-69-8	ChiPros® (S)-1-(3-Methoxyphenyl)ethylamine	132	8.2.26
86089-17-0	Tridecylamine mixture of isomers	44	4.1.24
88196-70-7	ChiPros® (R)-1-(3-Methoxyphenyl)ethylamine	128	8.2.8
92731-41-4	AMIX A	54	4.3.2
92731-41-4	AMIX A	72	4.7.2
93940-97-7	Baxxodur® PC 136	50	4.2.11
93940-97-7	Baxxodur® PC 136	156	9.5.1
99636-32-5	ChiPros® (S)-Methoxyisopropylamine	136	8.2.40
101012-97-9	Ditridecylamine mixture of isomers	40	4.1.11
110238-91-0	Tetrahydropyran-4-carboxylic acid methylester	122	7.10.2
127852-28-2	ChiPros® (R)-1-(3,5-Ditrifluoromethyl)phenylethanol	124	8.1.1
143314-16-3	Basionics™ EE 03	148	9.4.4
143314-17-4	Basionics™ BC 01	148	9.4.3
145022-44-2	Basionics™ VS 11	154	9.4.18
145022-45-3	Basionics™ ST 35	150	9.4.11
174899-82-2	Basionics™ HP 01	150	9.4.7
195604-39-8	ChiPros® (S)-1-Cyclopropylethylamine	134	8.2.34
216394-06-8	ChiPros® (1R-trans)-2-(Phenyl methoxy)cyclohexanamine	126	8.2.3
216394-07-9	ChiPros® (1S, 2S)-trans-2-Benzoyloxycyclohexylamine	126	8.2.4
225920-05-8	ChiPros® (S)-1-(3,5-Ditrifluoromethyl)phenylethanol	124	8.1.2
250358-46-4	Basionics™ OH 01	150	9.4.10
251102-25-7	1-Ethyl-3-methyl imidazolium methylcarbonate in methanol	148	9.4.1
324763-51-1	3-Amino-2,2-dimethylpropionic acid amide	142	9.1.1
331717-63-6	Basionics™ VS 01	152	9.4.16
342573-75-5	Basionics™ LQ 01	150	9.4.8
370865-89-7	Basionics™ VS 03	152	9.4.17
374898-01-8	ChiPros® (R)-1-(4-Fluorophenyl)ethylamine	128	8.2.10
848641-69-0	Basionics™ LQ 11	150	9.4.9
917956-73-1	Basionics™ UV 33	152	9.4.14

CAS Registry No.	Product	Page	Index
------------------	---------	------	-------

No CAS Registry No.

	Basionics™ AL 01 – EMIM Cl : AlCl ₃ = 1 : 1.5	148	9.4.2
	Basionics™ FS 01	148	9.4.5
	Basionics™ UV 43	152	9.4.15
	Baxxodur® ECX 210	50	4.2.10
	Carbonate Mix 50	94	7.1.2
	Carbonate Mix 60	94	7.1.3
	Diethanol-para-toluidine in MMA, 50 : 50	68	4.6.8
	Ethanolamine mixtures (anhydrous)	74	5.1.3
	Imidazole aqueous solution 50%	100	7.2.11
	Methanesulfonic acid 70%	168	9.9.2

GHS Assignment Scheme – How to Get Easily from H to P

Hazard Statement		Hazard Pictogram	
Code	Wording		
200	Unstable explosives.	 GHS01	
201	Explosive; mass explosion hazard.		
202	Explosive, severe projection hazard.		
203	Explosive; fire, blast or projection hazard.		
204	Fire or projection hazard.		
205	May mass explode in fire.	–	
220	Extremely flammable gas.	 GHS02	
221	Flammable gas.	–	
222	Extremely flammable aerosol.	 GHS02	
223	Flammable aerosol.		
224	Extremely flammable liquid and vapor.		
225	Highly flammable liquid and vapor.		
226	Flammable liquid and vapor.		
228	Flammable solid.	 GHS01	
240 ¹⁾	Heating may cause an explosion.		
240 ²⁾	Heating may cause an explosion.		
241 ¹⁾	Heating may cause a fire or explosion.		 
241 ²⁾	Heating may cause a fire or explosion.		
242 ¹⁾	Heating may cause a fire.	 GHS02	
242 ²⁾	Heating may cause a fire.		
250 ³⁾	Catches fire spontaneously if exposed to air.		
250 ⁴⁾	Catches fire spontaneously if exposed to air.		
251	Self-heating; may catch fire.		
252	Self-heating in large quantities; may catch fire.		
260	In contact with water releases flammable gases which may ignite spontaneously.		
261 ⁵⁾	In contact with water releases flammable gases.		
261 ⁶⁾	In contact with water releases flammable gases.		
270	May cause or intensify fire; oxidiser.		 GHS03
271	May cause fire or explosion; strong oxidiser.		
272	May intensify fire; oxidiser.	 GHS04	
280	Contains gas under pressure; may explode if heated.		
281	Contains refrigerated gas; may cause cryogenic burns or injury.	 GHS05	
290	May be corrosive to metals.		

¹⁾ If self-reactive. ²⁾ If organic peroxide. ³⁾ If liquid. ⁴⁾ If solid. ⁵⁾ If hazard category 2. ⁶⁾ If hazard category 3. ⁷⁾ The additional codes D, F, d and f are not described here.















The general precautionary statements P101 "If medical advice is needed, have product container or label at hand", P102 "Keep out of reach of children" and P103 "Read label before use" are only assigned to consumer products.

Code of Precautionary Statement

Prevention	Response	Storage	Disposal
201, ((202)), 281	372, (373), 380	401	501
210, 230, ((240)), 250, 280	370+380, 372, (373)	401	(501)
210, 230, ((240)), 250, 280	370+380, 372, (373)	401	(501)
210, 230, ((240)), 250, 280	370+380, 372, (373)	401	(501)
210, ((240)), 250, 280	370+380, 372, (373)	401	(501)
210, 230, ((240)), 250, 280	370+380, 372, (373)	401	(501)
210	377, (381)	403	-
210	377, (381)	403	-
210, 211, 251	-	410+412	-
210, 211, 251	-	410+412	-
210, 233, ((240)), ((241)), ((242)), ((243)), ((280))	((303+361+353)), 370+378	403+235	501
210, (233), ((240)), ((241)), ((242)), ((243)), ((280))	((303+361+353)), 370+378	403+235	501
210, ((233)), ((240)), ((241)), ((242)), ((243)), ((280))	((303+361+353)), 370+378	403+235	501
210, ((240)), ((241)), ((280))	370+378	-	-
210, (220), 234, 280	((370+378)), 70+380+(((375)))	403+235, 411, (420)	501
210, (220), 234, 280	-	411+235, 410, (420)	501
210, (220), 234, 280	370+378, 370+380+375	403+235, 411, (420)	501
210, (220), 234, 280	-	411+235, 410, (420)	501
210, (220), 234, 280	370+378	403+235, 411, (420)	501
210, (220), 234, 280	-	411+235, 410, (420)	501
210, ((222)), 280	302+334, 370+378	(422)	-
210, ((222)), 280	335+334, 370+378	(422)	-
235+410, ((280))	-	407, 413, (420)	-
235+410, ((280))	-	407, 413, (420)	-
((223)), 231+232, (280)	335+334, 370+378	(402+404)	501
((223)), 231+232, (280)	335+334, 370+378	(402+404)	501
231+232, (280)	370+378	(402+404)	501
220, 244	((370+376))	403	-
210, ((220)), 221, 280, ((283))	(306+360), 371+380+375, 370+378	-	501
210, ((220)), 221, (280)	370+378	-	501
-	-	((410+403))	-
282	336, (315)	((403))	-
(234)	(390)	((406))	-

P-Statement code without brackets = highly recommended
P-Statement code with single brackets (...) = recommended
P-Statement code with double brackets (...) = optional
P-Statement code with triple brackets (((...))) = not to be used

The assignment was carried out in accordance with the "Guidance on Labelling and Packaging in accordance with Regulation (EC) 1272/2008", ECHA, Helsinki 2011, pp. 65-153. In some cases a differentiation is made between label and SDS as well as between the distribution to industrial/professional users and the general public. In any case, please consult the ECHA Guidance Document.

Hazard Statement		Hazard Pictogram
Code	Wording	
300	Fatal if swallowed.	 GHS06
301	Toxic if swallowed.	
302	Harmful if swallowed.	 GHS07
304	May be fatal if swallowed and enters airways.	 GHS08
310	Fatal in contact with skin.	 GHS06
311	Toxic in contact with skin.	
312	Harmful in contact with skin.	 GHS07
314	Causes severe skin burns and eye damage.	 GHS05
315	Causes skin irritation.	 GHS07
317	May cause an allergic skin reaction.	
318	Causes serious eye damage.	 GHS05
319	Causes serious eye irritation.	 GHS07
330	Fatal if inhaled.	 GHS06
331	Toxic if inhaled.	
332	Harmful if inhaled.	 GHS07
334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	 GHS08
335	May cause respiratory irritation.	 GHS07
336	May cause drowsiness or dizziness.	
340	May cause genetic defects.	 GHS08
341	Suspected of causing genetic defects.	
350	May cause cancer.	
351	Suspected of causing cancer.	
360 ¹⁾	May damage fertility or the unborn child.	
361 ²⁾	Suspected of damaging fertility or the unborn child.	
362	May cause harm to breast-fed children.	-




¹⁾ If self-reactive. ²⁾ If organic peroxide. ³⁾ If liquid. ⁴⁾ If solid. ⁵⁾ If hazard category 2. ⁶⁾ If hazard category 3. ⁷⁾ The additional codes D, F, d and f are not described here.

The general precautionary statements P101 "If medical advice is needed, have product container or label at hand", P102 "Keep out of reach of children" and P103 "Read label before use" are only assigned to consumer products.

Code of Precautionary Statement			
Prevention	Response	Storage	Disposal
264, 270	301+310, 321, 330	405	501
264, (270)	301+310, 321, (330)	405	501
(264), (270)	((301+312)), ((330))	–	501
–	301+310, 331	405	501
262, 264, 270, 280	(302+350), 310, 322, 361, (363)	405	501
280	(302+352), (312), 322, (361), ((363))	405	501
(280)	((302+352)), (312), 322, ((363))	–	501
260, 264, 280	301+330+331, 303+361+353, (363), ((304+340)), 310, 321, 305+351+338	405	501
((264)), (280)	((302+352)), 321, ((332+313)), (362)	–	–
(261), (272), 280	(302+352), (333+313), 321, (363)	–	501
280	305+351+338, 310	–	–
((264)), (280)	(305+351+338), (337+313)	–	–
260, 271, (284)	304+340, 310, 320	403+233, 405	501
(261), 271	((304+340)), (311), 321	403+233, 405	501
(261), 271	((304+340)), (312)	–	–
261, 285	304+341, 342+311	–	501
(261), 271	((304+340)), (312)	(403+233), 405	501
(261), 271	((304+340)), (312)	(403+233), 405	501
201, ((202)), 281	308+313	405	501
(201), ((202)), 281	(308+313)	405	501
201, (202), 281	308+313	405	501
(201), ((202)), 281	(308+313)	405	501
201, ((202)), 281	308+313	405	501
201, ((202)), 281	(308+313)	405	501
201, 260, 263, ((264)), (270)	(308+313)	–	–

P-Statement code without brackets = highly recommended
P-Statement code with single brackets (...) = recommended
P-Statement code with double brackets ((...)) = optional
P-Statement code with triple brackets (((...))) = not to be used

The assignment was carried out in accordance with the "Guidance on Labelling and Packaging in accordance with Regulation (EC) 1272/2008", ECHA, Helsinki 2011, pp. 65-153. In some cases a differentiation is made between label and SDS as well as between the distribution to industrial/professional users and the general public. In any case, please consult the ECHA Guidance Document.

Hazard Statement		Hazard Pictogram
Code	Wording	
370	Causes damage to organs.	 GHS08
371	May cause damage to organs.	
372	Causes damage to organs through prolonged or repeated exposure.	
373	May cause damage to organs through prolonged or repeated exposure.	
400	Very toxic to aquatic life.	 GHS09
410	Very toxic to aquatic life with long lasting effects.	
411	Toxic to aquatic life with long lasting effects.	
412	Harmful to aquatic life with long lasting effects.	
413	May cause long lasting harmful effects to aquatic life.	-
420	Harms public health and the environment by destroying ozone in the upper atmosphere.	 GHS07

¹⁾ If self-reactive. ²⁾ If organic peroxide. ³⁾ If liquid. ⁴⁾ If solid. ⁵⁾ If hazard category 2. ⁶⁾ If hazard category 3. ⁷⁾ The additional codes D, F, d and f are not described here.

The general precautionary statements P101 "If medical advice is needed, have product container or label at hand", P102 "Keep out of reach of children" and P103 "Read label before use" are only assigned to consumer products.

No.	Prevention
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P211	Do not spray on an open flame or other ignition source.
P220	Keep/Store away from clothing/.../combustible materials.
P221	Take any precaution to avoid mixing with combustibles...
P222	Do not allow contact with air.
P223	Keep away from any possible contact with water, because of violent reaction and possible flash fire.
P230	Keep wetted with...
P231	Handle under inert gas.
P232	Protect from moisture.
P233	Keep container tightly closed.
P234	Keep only in original container.
P235	Keep cool.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P244	Keep reduction valves free from grease and oil.
P250	Do not subject to grinding/shock/.../friction.
P251	Pressurized container: Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.
P263	Avoid contact during pregnancy/while nursing.

Code of Precautionary Statement

Prevention	Response	Storage	Disposal
260, ((264)), (270)	307+311, 321	405	501
260, ((264)), (270)	(309+311)	405	501
260, ((264)), (270)	(314)	–	501
260	(314)	–	501
(273)	(391)	–	501
(273)	(391)	–	501
(273)	(391)	–	501
(273)	–	–	501
(273)	–	–	501
–	–	–	502

P-Statement code without brackets = highly recommended
P-Statement code with single brackets (...) = recommended
P-Statement code with double brackets ((...)) = optional
P-Statement code with triple brackets (((...))) = not to be used

The assignment was carried out in accordance with the "Guidance on Labelling and Packaging in accordance with Regulation (EC) 1272/2008", ECHA, Helsinki 2011, pp. 65-153. In some cases a differentiation is made between label and SDS as well as between the distribution to industrial/professional users and the general public. In any case, please consult the ECHA Guidance Document.

P264	Wash ... thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.
P282	Wear cold insulating gloves/face shield/eye protection.
P283	Wear fire/flame resistant/retardant clothing.
P284	Wear respiratory protection.
P285	In case of inadequate ventilation wear respiratory protection.
P231+232	Handle under inert gas. Protect from moisture.
P235+410	Keep cool. Protect from sunlight.

No.	Response
P301	IF SWALLOWED:
P302	IF ON SKIN:
P303	IF ON SKIN (or hair):
P304	IF INHALED:
P305	IF IN EYES:
P306	IF ON CLOTHING:
P307	IF exposed:
P308	IF exposed or concerned:
P309	IF exposed or if you feel unwell:
P310	Immediately call a POISON CENTER or doctor/physician.

P311	Call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P313	Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P315	Get immediate medical advice/attention.
P320	Specific treatment is urgent (see ... on this label).
P321	Specific treatment (see ... on this label).
P322	Specific measures (see ... on this label).
P330	Rinse mouth.
P331	Do NOT induce vomiting.
P332	If skin irritation occurs:
P333	If skin irritation or rash occurs:
P334	Immerse in cool water/wrap in wet bandages.
P335	Brush off loose particles from skin.
P336	Thaw frosted parts with lukewarm water. Do no rub affected area.
P337	If eye irritation persists:
P338	Remove contact lenses, if present and easy to do. Continue rinsing.
P340	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P341	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P342	If experiencing respiratory symptoms:
P350	Gently wash with plenty of soap and water.
P351	Rinse cautiously with water for several minutes.
P352	Wash with plenty of soap and water.
P353	Rinse skin with water/shower.
P360	Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370	In case of fire:
P371	In case of major fire and large quantities:
P372	Explosion risk in case of fire.
P373	DO NOT fight fire when fire reaches explosives.
P374	Fight fire with normal precautions from a reasonable distance.
P375	Fight fire remotely due to the risk of explosion.
P376	Stop leak if safe to do so.
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P378	Use ... for extinction.
P380	Evacuate area.
P381	Eliminate all ignition sources if safe to do so.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P301+330+331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+334	IF ON SKIN: Immerse in cool water/wrap in wet bandages.

P302+350	IF ON SKIN: Gently wash with plenty of soap and water.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P304+341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P307+311	IF exposed: Call a POISON CENTER or doctor/physician.
P308+313	IF exposed or concerned: Get medical advice/attention.
P309+311	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P332+313	If skin irritation occurs: Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P335+334	Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
P337+313	If eye irritation persists: Get medical advice/attention.
P342+311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P370+376	In case of fire: Stop leak if safe to do so.
P370+378	In case of fire: Use ... for extinction.
P370+380	In case of fire: Evacuate area.
P370+380+375	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
P371+380+375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

No.	Storage
P401	Store ...
P402	Store in a dry place.
P403	Store in a well-ventilated place.
P404	Store in a closed container.
P405	Store locked up.
P406	Store in corrosive resistant/... container with a resistant inner liner.
P407	Maintain air gap between stacks/pallets.
P410	Protect from sunlight.
P411	Store at temperatures not exceeding ... °C/... °F.
P412	Do not expose to temperatures exceeding 50 °C/122 °F.
P413	Store bulk masses greater than ... kg/... lbs at temperatures not exceeding ... °C/... °F.
P420	Store away from other materials.
P422	Store contents under ...
P402+404	Store in a dry place. Store in a closed container.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P403+235	Store in a well-ventilated place. Keep cool.
P410+403	Protect from sunlight. Store in a well-ventilated place.
P410+412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P411+235	Store at temperatures not exceeding ... °C/... °F. Keep cool.

No.	Disposal
P501	Dispose of contents/container to ...
P502	Refer to manufacturer/supplier for information on recovery/recycling.

Overview GHS Pictogram



GHS01: Explosives



GHS02: Flammable gases / aerosols / liquids / solids



GHS03: Oxidizing gases



GHS04: Gases under pressure



GHS05: Corrosion



GHS06: Skull and crossbones – toxic



GHS07: Health hazard – warning



GHS08: Health hazard – danger



GHS09: Environmental risk

BASF
The Chemical Company

BASF

Contact

Europe

Phone: +49 621 60-0

North America

Phone: +1 973 245 6000

Asia

Phone: +852 2731 1222

info.intermediates@basf.com
www.intermediates.basf.com



Imprint

Published by: BASF SE,
Intermediates Division

Editors: Global Communications Intermediates

Phone: +49 621 60-95138

Postal address: BASF SE,
67056 Ludwigshafen, Germany

® = registered trademark of BASF SE

™ = trademark of BASF SE

The data contained in this publication is based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, the data does not relieve processors from carrying out their own investigations and tests; neither does the data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. The safety data given in this publication is for information purposes only and does not constitute a legally binding Material Safety Data Sheet (MSDS). The relevant MSDS can be obtained upon request from your supplier or you may contact BASF directly at info.intermediates@basf.com. **2012 edition**

www.intermediates.basf.com
info.intermediates@basf.com